

350-801^{Q&As}

Implementing and Operating Cisco Collaboration Core Technologies
(CLCOR)

Pass Cisco 350-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/350-801.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In the Cisco Expressway solution, which two features does Mobile and Remote Access provide? (Choose two)

- A. VPN-based enterprise access for a subset of Cisco Unified IP Phone models
- B. Secure reverse proxy firewall traversal connectivity
- C. the ability to register third-party SIP or H.323 devices on Cisco UCM without requiring VPN
- D. the ability of Cisco IP Phones to access the enterprise through VPN connection
- E. the ability for remote users and their devices to access and consume enterprise collaboration applications and services

Correct Answer: BE

Mobile and Remote Access

The Mobile and Remote Access feature of the Cisco Expressway solution provides secure reverse proxy firewall traversal connectivity, which enables remote users and their devices to access and consume enterprise collaboration applications and services.

QUESTION 2

Refer to the exhibit.

```
ISR4K(config)# ip tftp source-interface GigabitEthernet 0/0/1
ISR4K(config)# mgcp call-agent 10.1.2.3 2427 service-type mgcp version 0.1
ISR4K(config)# ccm-manager config server 10.1.2.3
ISR4K(config)# ccm-manager config
ISR4K(config)# ccm-manager mgcp
ISR4K(config)# mgcp
```

```
ISR4K(config)# ip tftp source-interface GigabitEthernet 0/0/1
ISR4K(config)# mgcp call-agent 10.1.2.3 2427 service-type mgcp version 11.5.1
ISR4K(config)# ccm-manager config server 10.1.2.3
ISR4K(config)# ccm-manager config
ISR4K(config)# ccm-manager mgcp
ISR4K(config)# mgcp
```

```
ISR4K(config)# ip tftp source-interface GigabitEthernet 0/0/1
ISR4K(config)# mgcp call-agent 10.1.2.3 2427 service-type mgcp version 0.1
ISR4K(config)# ccm-manager config server 10.1.2.3
ISR4K(config)# ccm-manager config download
ISR4K(config)# ccm-manager mgcp
ISR4K(config)# mgcp
```

```
ISR4K(config)# ip tftp source-interface GigabitEthernet 0/0/1
ISR4K(config)# mgcp call-agent 10.1.2.3 2428 service-type mgcp version 0.1
ISR4K(config)# ccm-manager config server 10.1.2.3
ISR4K(config)# ccm-manager config
ISR4K(config)# ccm-manager mgcp
ISR4K(config)# mgcp
```

An engineer must modify the existing QoS policy-map statement to implement LLQ for voice traffic. Which change must engineer make in the configuration?

- A. bandwidth 170 to percent 170
- B. bandwidth 170 to reserve 170
- C. bandwidth 170 to priority 170
- D. bandwidth 170 to LLQ 170

Correct Answer: C

QUESTION 3

An administrator executes the debug isdn q931 command while debugging a failed call. After a test call is placed, the logs return a disconnect cause code of 1. What is the cause of this problem?

- A. The dialed number is not assigned to an endpoint.
- B. The destination number rejects the call.
- C. The destination number is busy.
- D. The media resource is unavailable.

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/support/docs/dial-access/integrated-services-digital-networks-isdn-channel-associated-signaling-cas/8607-isdn-disc-code.html>

QUESTION 4

Why does Cisco UCM use DNS?

- A. It connects endpoints to single sign-on services
- B. It provides SRV resolution to the endpoints registered.
- C. It provides certificate-based security for media.
- D. It resolves FQDN to IP address resolution for trunks.

Correct Answer: D

QUESTION 5

What is set when using CoS to mark an Ethernet frame?

- A. IPP bits
- B. 802.1q User Priority bits
- C. IP ECN bits
- D. DCSP bits

Correct Answer: B

When using COS to mark an Ethernet frame, the 802.1 p User Priority bits are set. These bits are used to indicate the priority of the frame. The higher the priority, the more likely the frame is to be transmitted first.

[350-801 PDF Dumps](#)

[350-801 VCE Dumps](#)

[350-801 Exam Questions](#)