



351-018^{Q&As}

CCIE Security written

Pass Cisco 351-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/351-018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which protocol does 802.1X use between the supplicant and the authenticator to authenticate users who wish to access the network?

- A. SNMP
- B. TACACS+
- C. RADIUS
- D. EAP over LAN
- E. PPPoE

Correct Answer: D

QUESTION 2

Which option describes the main purpose of EIGRP authentication?

- A. to authenticate peers
- B. to allow faster convergence
- C. to provide redundancy
- D. to avoid routing table corruption

Correct Answer: D

QUESTION 3

What is the ICMPv6 type and destination IPv6 address for a Neighbor Solicitation packet that is sent by a router that wants to learn about a newly introduced network device?

- A. ICMP type 136 and the Solicited-Node multicast address
- B. ICMP type 135 and the Broadcast address
- C. ICMP type 136 and the All-Routers multicast address
- D. ICMP type 135 and the All-Routers multicast address
- E. ICMP type 135 and the Solicited-Node multicast address
- F. ICMP type 136 and the Broadcast address

Correct Answer: E



QUESTION 4

Which mode of operation must be enabled on CSM to support roles such as Network Administrator, Approver, Network Operator, and Help Desk?

- A. Deployment Mode
- B. Activity Mode
- C. Workflow Mode
- D. User Roles Mode
- E. Administration Mode
- F. Network Mode

Correct Answer: C

QUESTION 5

Which three statements about IKEv2 are correct? (Choose three.)

- A. INITIAL_CONTACT is used to synchronize state between peers.
- B. The IKEv2 standard defines a method for fragmenting large messages.
- C. The initial exchanges of IKEv2 consist of IKE_SA_INIT and IKE_AUTH.
- D. Rekeying IKE and child SAs is facilitated by the IKEv2 CREATE_CHILD_SA exchange.
- E. NAT-T is not supported.
- F. Attribute policy push (via the configuration payload) is only supported in REQUEST/REPLY mode.

Correct Answer: ACD

[Latest 351-018 Dumps](#)

[351-018 PDF Dumps](#)

[351-018 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.