

## 352-001<sup>Q&As</sup>

CCDE Written Exam

### Pass Cisco 352-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/352-001.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A service provider has a Resilient Ethernet Protocol ring running as a metro backbone between its locations in one city. A customer wants to connect one site with one box redundant to the Resilient Ethernet Protocol ring at two different service provider locations. How can this be done without producing any Layer 2 loops within the network design?

- A. Spanning tree at the service provider side only must be enabled.
- B. Spanning tree at the customer side only must be enabled.
- C. Flex Links at the service provider side only must be enabled.
- D. Flex Links at the customer side only must be enabled.
- E. EtherChannel at the service provider side and the customer side must be enabled.
- F. Spanning tree at the service provider side and the customer side must be enabled.
- G. Flex Links at the service provider side and the customer side must be enabled.

Correct Answer: D

---

**QUESTION 2**

What is a characteristic of traffic shaping?

- A. It minimizes traffic transmission intervals.
- B. It remarks excess packets above the committed rates.
- C. It delays and can drop excess traffic.
- D. It classifies traffic based on certain characteristics.

Correct Answer: C

---

**QUESTION 3**

FIFO queuing is being used on all routers in a network. The primary application running on the network is data backup using FTP. At certain times, users experience cyclical performance degradation.

What two things might mitigate this problem and help ensure bandwidth is used effectively in the network? (Choose two.)

- A. traffic shaping
- B. CB-WFQ
- C. traffic policing
- D. WRED

E. MDRR

Correct Answer: BD

---

#### QUESTION 4

What is the definition of the TOGAF framework?

- A. a series of tools for process improvement that uses statistical methods to reduce defects in processes and manufacturing
- B. a framework for enterprise IP Address Management (IPAM) based on the IANA trusted IP lease allocation scheme
- C. an ISO framework that establishes a model for network management and contains guidelines for managing objects, the management database, and the application entity
- D. a five-volume framework for service management that covers design, transition, and delivery of service, and from which the ISO 20000 was developed
- E. a framework for enterprise architecture that provides a comprehensive approach for designing, planning, implementing, and governing enterprise information architecture

Correct Answer: E

---

#### QUESTION 5

Which statement about DHCPv6 Guard features design is true?

- A. A certificate must be installed on the DHCPv6 server and relay agent.
- B. DHCPv6 client requests can be rate-limited to protect the control plane.
- C. Rogue DHCPv6 servers cannot assign IPv6 addresses to clients.
- D. DHCPv6 client requests can be filtered to protect the data plane.

Correct Answer: C

[352-001 PDF Dumps](#)

[352-001 VCE Dumps](#)

[352-001 Practice Test](#)