

352-001^{Q&As}

CCDE Written Exam

Pass Cisco 352-001 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/352-001.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are designing a wireless LAN with the following components: High-density indoor access point deployment 2.4-GHz and 5-GHz radios 802.11a, 802.11g, and 802.11n mode wireless LAN clients Site survey results show negligible foreign WiFi and non-WiFi interference. What is the best method to decrease duty cycle (radio frequency utilization) and increase overall wireless LAN client performance for this design?

- A. Disable all data rates below 12 Mb/s on all access points.
- B. Decrease radio transmit power on all access points that report a high duty cycle.
- C. Increase radio transmit power on all access points that report a high duty cycle.
- D. Disable all data rates above 12 Mb/s on all access points.
- E. Increase radio transmit power on all access points.

Correct Answer: A

QUESTION 2

Which two statements are correct about route redistribution? (Choose two.)

- A. iBGP is used within the AS to carry eBGP attributes that otherwise would be lost if eBGP was redistributed into IGP.
- B. The unequal cost multipath load-balancing characteristic is lost when redistributing OSPF into EIGRP.
- C. Mutual redistribution at multiple points can create a routing loop.
- D. Redistributing the entire BGP table from the Internet works well when using multiple OSPF areas.
- E. IS-IS does not support Layer 2 routes leaking into a Layer 1 domain.

Correct Answer: AC

QUESTION 3

A network designer is working with a company to improve convergence at the Layer 2 control plane and decides to use LACP. Which of these components does LACP use to create the system ID?

- A. LACP system priority and switch MAC address
- B. LACP port priority and switch MAC address
- C. LACP port priority and port number
- D. LACP system priority and port number

Correct Answer: A

QUESTION 4

Across a large WAN network, there will be new video traffic being distributed from a single source at any given time however, the video source might originate from different parts of the multicast domain at different times . Which multicast technology provides for this multicast traffic to be distributed with optimal path selection to the source?

- A. Any source Multicast.
- B. PIM sparse mode.
- C. Bidirectional PIM.
- D. Source Specific Multicast.

Correct Answer: D

QUESTION 5

A service provider wants to use a controller to automate the provisioning of service function chaining. Which two overlay technologies can be used with EVPN MP-BGP to create the service chains in the data center? (Choose 2)

- A. MPLS L2VPN
- B. 802.1Q
- C. MPLSoGRE
- D. VXLAN
- E. Provider Backbone Bridging EVPN

Correct Answer: DE

[352-001 PDF Dumps](#)

[352-001 Exam Questions](#)

[352-001 Braindumps](#)