

# 400-007<sup>Q&As</sup>

Cisco Certified Design Expert (CCDE Written)

### Pass Cisco 400-007 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/400-007.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.leads4pass.com/400-007.html Leads4Pass

2024 Latest leads4pass 400-007 PDF and VCE dumps Download

#### **QUESTION 1**

A senior network designer suggests that you should improve network convergence times by reducing BGP timers between your CE router and the PE router of the service provider. Which two factors should you consider to adjust the timer values? (Choose two.)

- A. service provider agreement to support tuned timers
- B. manual updates to the peer groups
- C. service provider scheduling of changes to the PE
- D. number of routes on the CE router
- E. number of VRFs on the PE router

Correct Answer: AD

#### **QUESTION 2**

Company XYZ is designing their network using the three-layer hierarchical model. At which layer must the QoS design classify or mark the traffic?

- A. access
- B. core
- C. collapsed core
- D. distribution

Correct Answer: A

#### **QUESTION 3**

Various teams in different organizations within an enterprise are preparing low-level design documents to capture network parameters using a Waterfall project model:

hardware sizing and power consumption

Layer 2 and layer 3 services parameters

configuration of all control plane protocols

Input from relevant stakeholders was captured at the start of the project, and the project scope has been defined based on the parameters above.

What impact will it have on documentation and project deliverables if the stakeholders ask to have changes carried out in the network before the information has been captured?

A. This provides more opportunity to think outside the box.

## Leads4Pass

#### https://www.leads4pass.com/400-007.html

2024 Latest leads4pass 400-007 PDF and VCE dumps Download

- B. Rework is expected before the delivery.
- C. Significant effort and time are required.
- D. This provides a flexible approach to incorporate changes.

Correct Answer: B

Redo work is expected for whole project, but the situation of the question is more focus on very early stage.

Waterfall can require that a phase be fully completed before proceeding to the next one, and it\\'s extremely difficult to go back if you miss anything. That means you and your team must check every box before moving on, or there could be a lot of rework needed. This could easily derail your schedule since there are many dependent relationships between tasks—every day of delay is another day added to your overall schedule.

https://www.clearpointstrategy.com/blog/waterfall-project-management

#### **QUESTION 4**

#### DRAG DROP

Drag and drop the design use cases from the left onto the correct uRPF techniques used to prevent spoofing attacks Not all options are used.

Select and Place:

to check whether a route to a given IP address exists without regard to its incoming interface	strict mode
to filter Bogon IP address	feasible mode
to ensure the incoming interface is the best reverse path to a given IP address	loose mode
when there are alternate routes to a given IP address	

#### Correct Answer:

w	hen there are alternate routes to a given IP address
	to filter Bogon IP address



#### https://www.leads4pass.com/400-007.html

2024 Latest leads4pass 400-007 PDF and VCE dumps Download

#### **QUESTION 5**

A business invests in SDN and develops its own SDN controller that, due to budget constraints, runs on a single controller. The controller actively places an exclusive lock on the configuration of the devices to ensure it is the only source of changes to the environment. What is the result if the controller fails?

- A. All device configurations are in read-only mode until the controller is restored.
- B. The control plane is unavailable until the controller is restored.
- C. If a device fails, the configuration backup is unavailable
- D. Manual changes are only possible until the controller is restored

Correct Answer: A

400-007 PDF Dumps

400-007 VCE Dumps

400-007 Exam Questions