

400-051^{Q&As}

CCIE Collaboration Written

Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/400-051.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What is the maximum number of call-processing subscribers in a standard deployment of a Cisco Unified Communications Manager Session Management Edition cluster?

B. 4

C. 5

D. 8

E. 16

Correct Answer: D

There is no deployment difference between CUCM and CUCM session management Edition cluster. The only difference is that CUCM SME is designed to support a large number of trunk to trunk connections. Thus, 8 subscribers.

QUESTION 2

Refer to the exhibit.

```
ephone-dn 1
number 1001
ephone-dn 2
number 1002
ephone-dn 3
number 1003
ephone-hunt
ephone-dn 4
number 1004
ephone-dn 5
number 1005
 ephone-hunt login
ephone-dn 6
number 1006
ephone-hunt 1 peer
 list 1001,1002,1004,*
hop 6
 final 1100
```

Which ephone-dn can join the hunt group whenever a wild card slot becomes available?

VCE & PDF Lead4Pass.com

https://www.lead4pass.com/400-051.html 2021 Latest lead4pass 400-051 PDF and VCE dumps Download

A. ephone-dn 1
B. ephone-dn 2
C. ephone-dn 3
D. ephone-dn 4
E. ephone-dn 6
Correct Answer: C
References: http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucme/command/reference/cme_cr/cme_e1ht.html
QUESTION 3
Which Cisco Unified Contact Center Express core system software component communicates with Cisco Agent Desktop for agent state control and call control?
A. Unified CCX Engine
B. Database
C. Monitoring
D. Recording
E. RmCm
Correct Answer: A
The Unified CCX Engine enables you to run multiple applications to handle Unified CM Telephony calls or HTTP requests. The Unified CCX Engine uses the Unified CM Telephony subsystem to request and receive services from the
Computer Telephony Interface (CTI) manager that controls Unified CM clusters. The Unified CCX Engine is implemented as a service that supports multiple applications. You can use a web browser to administer the Unified CCX Engine and
your Unified CCX applications from any computer on the network. Unified CCX provides you the following two web interfaces:
Unified CCX Administration web interface: Used to configure system parameters, subsystems, view real-time reports that include total system activity and application statistics, and so on.
Unified CCX Serviceability web interface: Used to view alarm and trace definitions for Unified CCX services, start and stop the Unified CCX Engine, monitor Unified CCX Engine activity, and so on.
QUESTION 4
Refer to the exhibit.



What caused this message on a Cisco 9971 IP phone, connected to a Cisco 3750X PoE switch, when a mobile phone is plugged into the IP Phone\\'s back USB port?

- A. The back USB port only supports Cisco USB devices such as a Cisco Unified Video camera
- B. USB classes for this USB port are not properly configured
- C. The USB port is not enabled by the administrator
- D. The mobile phone is requesting more power than the USB port could provide
- E. USB devices are not supported when the IP phone is powered by a Cisco PoE switch

Correct Answer: D

QUESTION 5

Which two host portion format conditions are true for directory URI on Cisco Unified Communications Manager? (Choose two.)

A. It is case sensitive.



https://www.lead4pass.com/400-051.html

2021 Latest lead4pass 400-051 PDF and VCE dumps Download

- B. It cannot start with a hyphen.
- C. It must have at least one character.
- D. It supports IPv4 or IPv6 addresses, or fully qualified domain names.
- E. It cannot end with a hyphen.
- F. It supports the and character.

Correct Answer: BE

Cisco Unified Communications Manager supports the following formats in the host portion of a directory URI (the portion after the @ symbol):

Supports IPv4 addresses or fully qualified domain names.

Accepted characters are a-z, A-Z ,0-9, hyphens, and dots.

The host portion cannot start or end with a hyphen.

The host portion cannot have two dots in a row.

Minimum of two characters.

The host portion is not case sensitive.

References: http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/bat/9_1_1/CUCM_BK_C271A69D_00_cucm-bulk-administration-guide-91/CUCM_BK_C271A69D_00_cucm-bulk-administration-guide-91_chapter_01001110.html

400-051 PDF Dumps

400-051 Practice Test

400-051 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.