

400-051^{Q&As}

CCIE Collaboration Written

Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/400-051.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/400-051.html 2021 Latest lead4pass 400-051 PDF and VCE dumps Download

QUESTION 1

Correct Answer: C
D. OpenStack and KVM are not related to NFV.
C. OpenStack and KVM can be used to provide NFV.
B. NFV and KVM are based on OpenStack.
A. OpenStack and NFV enable KVM.
Which option describes how NFV, OpenStack, and KVM relate to each other?
QUESTION 2
Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/connection/10x/user/guide/phone/b_10xcucugphone b_10xcucugphone_chapter_01000.html
Correct Answer: E
G. busy
F. standard
E. error
D. internal
C. closed
B. holiday
A. alternate
Which option cannot be recorded as a video greeting in Cisco Unity Connection 10.x?

QUESTION 3

https://www.lead4pass.com/400-051.html

Chara cter	Description	Examples
X	The X wildcard matches any single digit in the range 0 through 9.	The trigger pattern 9XXX matches all numbers in the range 9000 through 9999.
!	The exclamation point (!) wildcard matches one or more digits in the range 0 through 9.	The trigger pattern 91! matches all numbers in the range 910 through 9199999999999999999999999999999999999
?	The question mark (?) wildcard matches zero or more occurrences of the preceding digit or wildcard value.	The trigger pattern 91X? matches all numbers in the range 91 through 9199999999999999999999999999999999999
+	The plus sign (+) wildcard matches one or more occurrences of the preceding digit or wildcard value.	The trigger pattern 91X+ matches all numbers in the range 910 through 9199999999999999999999999999999999999
L	The square bracket ([]) characters enclose a range of values.	The trigger pattern 813510[012345] matches all numbers in the range 8135100 through 8135105.
_	The hyphen (-) character, used with the square brackets, denotes a range of values.	The trigger pattern 813510[0-5] matches all numbers in the range 8135100 through 8135105.
۸	The circumflex (^) character, used with the square brackets, negates a range of values. Ensure that it is the	The trigger pattern 813510[^0-5] matches all numbers in the range 8135106

Assume the IP address of Cisco Unity Express is 10.1.1.1. Which URL provides Cisco Unity Express end users with a GUI interface to access and manage their messages and mailbox settings?

A. http://10.1.1.1/Web/Common/Login.do

bracket ([).

^ character.

first character following the opening

Each trigger pattern can have only one

B. http://10.1.1.1/ciscopca

C. http://10.1.1.1/user

D. http://10.1.1.1/inbox

E. http://10.1.1.1/

Correct Answer: C

For user access cisco unity has predefined url and it is http://10.1.1.1/user

QUESTION 4

Refer to the exhibit.

```
!
class-map match-any signal
match ip dscp cs3
class-map match-any rtp
match ip dscp ef
!
policy-map VoIP
class rtp
bandwidth percent 33
compress header ip rtp
class signal
bandwidth percent 5
class class-default
fair-queue
!
interface serial 0/1/0
service-policy output VoIP
!
```

Assume that the serial interface link bandwidth is full T1. What is the maximum amount of bandwidth allowed for priority queuing of RTP packets with a DSCP value of EF?

- A. 33% of 1.544 Mb/s
- B. 5% of 1.544 Mb/s
- C. 38% of 1.544 Mb/s
- D. 62% of 1.544 Mb/s
- E. 0% of 1.544 Mb/s

Correct Answer: E


Since the use of the "priority" keyword was not used in this example 0% is the correct answer.

QUESTION 5

Refer to the exhibit.

https://www.lead4pass.com/400-051.html

2021 Latest lead4pass 400-051 PDF and VCE dumps Download



A Cisco collaboration engineer has been asked to remove the ability HQ phone 2 to dial HQ phone 1 by URI dialing. After removing the partition assigned to hqphone1@cisco.com HQ phone 2\\'s CSS, HQ phone 2 is still able to reach HQ phone 1. Why is the HQ phone 1 still reachable using URI dialing?

- A. Directory URI Alias partition has been defined in Enterprise parameters.
- B. Phone needs to be reset for changes to take effect.
- C. Directory URI partition cannot be deleted therefore still will be reachable.
- D. CSS Changes failed to be applied after hitting save due to Database replication issues.

Correct Answer: A

Latest 400-051 Dumps

400-051 Practice Test

400-051 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.