

400-151^{Q&As}

CCIE Data Center Written

Pass Cisco 400-151 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/400-151.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/400-151.html

QUESTION 1

In which location can device package logs be found?

- A. /data//logs
- B. /data/devicescrips//logs
- C. /var/sysmgr/tmp_logs//logs
- D. /var/logs/dme/log//logs
- E. /data/devicescrips/logs

Correct Answer: B

QUESTION 2

Which three main functions are provided by OTV to achieve failure isolation? (Choose three.)

- A. optimal outbound routing
- B. unknown Unicast traffic suppression
- C. ARP optimization
- D. use of multiple OTV overlays
- E. Spanning Tree isolation
- F. unicast policy control

Correct Answer: BCE

QUESTION 3

Which option is required by atomic counters to be leveraged in troubleshooting endpoint connectivity?

- A. Endpoint must connect to different leaf switches.
- B. Endpoints must be different endpoint groups.
- C. Endpoints must be in different bridge domains.
- D. Endpoints must be in different VRFs.
- E. Endpoints must connect to the same leaf switch.

Correct Answer: A

VCE & PDF Lead4Pass.com

https://www.lead4pass.com/400-151.html

2021 Latest lead4pass 400-151 PDF and VCE dumps Download

QUESTION 4

An administrator is replacing an IOM. The failed IOM is in chassis 1 and was connected to FI-B. The replacement IOM has an older version of software to the fabric interconnect. Which description is the correct process to bring the replacement IOM into the environment?

- A. Decommission the chassis. Install the replacement IOM and connect all cables. Perform a firmware update of IOM, then activate with the matching code for the fabric interconnect. Recommission the chassis.
- B. Install the replacement IOM and connect a single cable. Perform a firmware update of IOM, then activate with the matching code for fabric interconnect. Reacknowledge the chassis.
- C. Downgrade the fabric interconnect to match the IOM version. Connect all cables and bring the IOM online. Upgrade the fabric interconnect and IOM to match the system.
- D. Install the replacement IOM and connect a single cable. Monitor the software auto-upgrade using the show fex detail command from Cisco NX-OS CLI. Connect the remaining cables when the upgrade is complete.
- E. Install replacement IOM and connect all cables. Monitor software auto-upgrade using the show fex detail command from Cisco NX-OS CLI.

Correct Answer: E

QUESTION 5

Which three services request states are valid in Cisco UCS Director service request execution state? (Choose three.)

- A. listening
- B. scheduled
- C. failed
- D. debugging
- E. running

Correct Answer: BCE

400-151 PDF Dumps

400-151 Practice Test

400-151 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.