

400-151^{Q&As}

CCIE Data Center Written

Pass Cisco 400-151 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/400-151.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/400-151.html

QUESTION 1

Which result is true if you export a configuration backup with AES encryption disabled, the AES encryption policy on the APIC, and try to reimport the previously exported configuration file?

- A. The import task fails
- B. The import task prompts the user for the AES passphrase
- C. The import task succeeds, but only secure properties are not imported
- D. The import task succeeds, and all properties are imported

Correct Answer: C

QUESTION 2

Which option lists the cloud deployment model types?

- A. hybrid, public, shared, and mobile
- B. public, private, hybrid, and community
- C. hybrid, community, mobile, and service
- D. public, private, mobile, and community

Correct Answer: B

QUESTION 3

Which standard REST API method allows you to create a managed object?

- A. POST
- B. PATCH
- C. SET
- D. GET


Correct Answer: A

QUESTION 4

Refer to the exhibit.

https://www.lead4pass.com/400-151.html

2021 Latest lead4pass 400-151 PDF and VCE dumps Download



An administrator must configure a SAN port channel between a Cisco UCS and a MDS switch as shown in the exhibit. The UCS fabric interconnect are in FC switch mode, the administrator creates a port channel on the MDS switches with the configuration. After performing a "no shut", the interface does not come up. Which configuration change is needed to bring up the port channel?

- A. feature npv configured on MDS
- B. feature port-channel configured on MDS
- C. switchport mode E on the port-channel interface
- D. switchport mode NP on the port-channel interface

Correct Answer: C

QUESTION 5

Which two statements about UCS switch mode are true? (Choose two.)

- A. Disjoint Layer 2 networks are supported only when the Ethernet switching mode of the fabric interconnects is configured for switch mode.
- B. Server-to-server multicast and broadcast traffic is sent through all uplink ports in the same VLAN.
- C. Broadcast packets flood out of all ports except the port that it was received on.



https://www.lead4pass.com/400-151.html

2021 Latest lead4pass 400-151 PDF and VCE dumps Download

D. Switch mode is the default Ethernet switching mode.

E. Ethernet switching mode must be used only if the fabric interconnect is connected directly to a router.

Correct Answer: BC

400-151 PDF Dumps

400-151 Study Guide

400-151 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.