400-201Q&As

400-201 Q&As

CCIE Service Provider Written

Pass Cisco 400-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/400-201.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

In Ethernet Aggregation application which option is needed when the U-PE connects to an N-PE and broadband remote access servers?

A. Ethernet Multipoint Service (EMS)

B. VPLS

C. E1

D. Wire Service

Correct Answer: A

QUESTION 2

A service provider NOC engineer received numerous support tickets from their VPN customer. This customer are reporting packet loss between two PE routers. The NOC engineer created a VRF TEMP to run test between these two PE router and no error were reported. ECMP links are used between P and PE routers. which test can quickly identify the core link that is causing the problem.

A. an MPLS traceroute with multipath option between the PE`s loopback

B. an extended traceroute with multipath option between PE`s loopback

C. a VRF traceroute between customers1s CE router and service provider remote PE router

D. a VRF ping between customer`s CE router and service provider remote PE router

E. an extended ping with sweep option between the PE`s Loopbacks

F. an MPLS ping with sweep option between the PE`s Loopbacks

Correct Answer: A

QUESTION 3

What is one of the necessary prerequisites for MPLS Traffic Engineering Inter-AS TE?

A. Cisco Express Forwarding is supported on the network.

B. Midpoint reoptimization is configured.

C. IPv6 is configured.

D. Network must support BGP.

Correct Answer: A

QUESTION 4

Which statement about the Link Control Protocol (LCP) is true?

A. LCP is used for basic PPP link setup and operation.

B. LCP is used for PPP CHAP authentication.

C. LCP is used for PPP over ATM (PPPoA) setup.

D. LCP is used for PPP over Ethernet (PPPoE) setup.

E. LCP is used for PPP over Frame Relay (PPPoFR) setup.

Correct Answer: A

The LCP protocol:

Checks the identity of the linked device and either accepts or rejects the device determines the acceptable packet size for transmission searches for errors in configuration can terminate the link if requirements exceed the parameters.

QUESTION 5

Which are the two characteristics of 4G/L TE networks? (Choose two)

A. eNodeB uplinks to the packet core use the lub interface

B. 4G/LTE networks use centralized MTSO-based handoff between cell towers

C. The E-UTRAN model forms the basis of 4G/L TE RAN technologies

D. eNodeBs in the cell towers requires less buit-in intelligence

E. RNCs in 4G/LTE networks have built-in MPLS support

F. Using the X2 interface, eNodeBs have direct communication between each other

Correct Answer: DF

Latest 400-201 Dumps   400-201 Practice Test   400-201 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: