

412-79V10^{Q&As}

EC-Council Certified Security Analyst (ECSA) V10

Pass EC-COUNCIL 412-79V10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/412-79v10.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In Linux, /etc/shadow file stores the real password in encrypted format for user's account with added properties associated with the user's password.



In the example of a /etc/shadow file below, what does the bold letter string indicate? Vivek:
\$1\$fnffc\$GteyHdicpGOffXX40w#5:13064:0:99999:7

- A. Number of days the user is warned before the expiration date
- B. Minimum number of days required between password changes
- C. Maximum number of days the password is valid
- D. Last password changed

Correct Answer: B

Reference: <http://www.cyberciti.biz/faq/understanding-etcshadow-file/> (bullet # 4)

QUESTION 2

Black-box testing is a method of software testing that examines the functionality of an application (e.g. what the software does) without peering into its internal structures or workings. Black-box testing is used to detect issues in SQL statements and to detect SQL injection vulnerabilities.



Most commonly, SQL injection vulnerabilities are a result of coding vulnerabilities during the Implementation/Development phase and will likely require code changes.

Pen testers need to perform this testing during the development phase to find and fix the SQL injection vulnerability.

What can a pen tester do to detect input sanitization issues?

- A. Send single quotes as the input data to catch instances where the user input is not sanitized
- B. Send double quotes as the input data to catch instances where the user input is not sanitized
- C. Send long strings of junk data, just as you would send strings to detect buffer overruns
- D. Use a right square bracket (the "]" character) as the input data to catch instances where the user input is used as part of a SQL identifier without any input sanitization

Correct Answer: D

QUESTION 3

Which of the following is developed to address security concerns on time and reduce the misuse or threat of attacks in an organization?

- A. Vulnerabilities checklists

B. Configuration checklists

C. Action Plan

D. Testing Plan

Correct Answer: A

QUESTION 4

Which of the following acts is a proprietary information security standard for organizations that handle cardholder information for the major debit, credit, prepaid, e-purse, ATM, and POS cards and applies to all entities involved in payment card processing?

A. PIPEDA

B. PCI DSS

C. Human Rights Act 1998

D. Data Protection Act 1998

Correct Answer: B

Reference: http://en.wikipedia.org/wiki/Payment_Card_Industry_Data_Security_Standard

QUESTION 5

The framework primarily designed to fulfill a methodical and organized way of addressing five threat classes to network and that can be used to access, plan, manage, and maintain secure computers and communication networks is:

A. Nortells Unified Security Framework

B. The IBM Security Framework

C. Bell Labs Network Security Framework

D. Microsoft Internet Security Framework

Correct Answer: C

[412-79V10 VCE Dumps](#)

[412-79V10 Practice Test](#)

[412-79V10 Study Guide](#)