

4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following statements about the bandwidth allocation criteria used by an egress port scheduler is TRUE?

- A. The available bandwidth of the port is divided in a strict priority over its children.
- B. Expedited queues must be serviced before best-effort queues.
- C. Orphaned queues are serviced on the 8th scheduling priority.
- D. The configured CIR dictates the maximum port bandwidth that can be allocated during the within-CIR pass for that level.

Correct Answer: B

QUESTION 2

Which of the following statements about burst-limit of a queue is FALSE?

- A. Burst-limit sets a limit on the maximum burst of packets transmitted during each scheduler visitation time.
- B. Proper configuration of the burst-limit can prevent packet drops on the downstream nodes resulting from traffic bursts.
- C. The lower the configured burst limit value, the lower the burst allowed to enter the queue.
- D. If the burst-limit is not configured, a default burst-limit value will be used by the queue.

Correct Answer: D

QUESTION 3

Which of the following parameters is taken into account FIRST when a CFHP arbiter allocates bandwidth among its children policers?

- A. PIR
- B. CIR
- C. Level
- D. Weight

Correct Answer: D

QUESTION 4

Which of the following are possible criteria for classifying packets at the network port ingress on the Nokia 7750 SR? (Choose three)

- A. The EXP bits in the MPLS header.
- B. The packet's source and destination IP addresses.
- C. The packet's DSCP bits.
- D. The dot1p bits in the frame header.
- E. The ID of an SDP that is transporting the packet.

Correct Answer: ACD

QUESTION 5

In a Nokia 7750 SR, which of the following is a class type that is intended for non-real-time customer traffic that requires some committed bandwidth?

- A. Gold
- B. Assured
- C. High Priority
- D. Best Effort

Correct Answer: C

[4A0-107 VCE Dumps](#)

[4A0-107 Practice Test](#)

[4A0-107 Study Guide](#)