4A0-C04 Q&As

Nokia NRS II Composite Exam: OSPF version

Pass Nokia 4A0-C04 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/4a0-c04.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

On which object is ADSPEC enabled?

A. SDP

B. Network port

C. LSP

D. Service

E. RSVP

Correct Answer: C

QUESTION 2

What are the types of networks supported on an Nokia 7750 SR for OSPF? (Choose 2)

A. Broadcast

B. Non-Broadcast Multi-Access

C. Point-to-Point

D. Point-to-Multipoint

Correct Answer: AC

QUESTION 3

An OSPF ASBR must have at least one interface in the backbone area (area 0).

A. True

B. False

Correct Answer: B

QUESTION 4

Which of the following conditions will prevent an OSPF adjacency from reaching the full state? Choose three answers.

A. MTU mismatch

B. Incorrect subnet mask

C. System interface not included in OSPF

D. Area ID not the same

E. Different metric set on each end of the link

F. Router ID not defined

Correct Answer: ABD

QUESTION 5

Which of the following statements is TRUE?

A. An OSPF adjacency can be established on an IES interface.

B. IES allows provider MP-BGP sessions to be extended to customers.

C. An IES service must use static routes in order to communicate with customer networks.

D. An IES interface supports OSPF and IS-IS in passive mode only.

Correct Answer: A

Latest 4A0-C04 Dumps   4A0-C04 Exam Questions   4A0-C04 Braindumps