

# 4A0-M02<sup>Q&As</sup>

Alcatel-Lucent Mobile Gateways for the LTE Evolved Packet Core

## Pass Alcatel-Lucent 4A0-M02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/4a0-m02.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

On Alcatel-Lucent 7750 SGW, which of the following CLI commands can be used to check the TEID-U values assigned to an EPS bearer for a particular UE?

- A. Show mobile-gateway serving pdn-context
- B. Show mobile-gateway serving pdn-context imsi detail
- C. Show mobile-gateway serving ue-context
- D. Show mobile-gateway serving ue-context imsi detail
- E. Show mobile-gateway serving bearer-context
- F. Show mobile-gateway serving bearer-context imsi detail

Correct Answer: F

---

## QUESTION 2

On the Alcatel-Lucent 7750 PGW, which of the following CLI commands is used to check the contents of the SDF filters enforced on the PGW for a particular UE?

- A. Show mobile-gateway pdn pdn-context
- B. Show mobile-gateway pdn pdn-context imsi detail
- C. Show mobile-gateway pdn bearer-context
- D. Show mobile-gateway pdn bearer-context imsi detail
- E. Show mobile-gateway pdn ue-context
- F. Show mobile-gateway pdn ue-context imsi detail

Correct Answer: D

---

## QUESTION 3

Which of the following statements is TRUE regarding the IP connectivity between a UE and a PDN?

- A. A UE gets an IPv4 address and/or an IPv6 prefix per APN.
- B. A PGW forwards the UE's IP packets to the PDN based on the address of the PDN server.
- C. When a UE sends an IP packet to a PDN over the EPC core, the eNodeB forwards the encapsulated packet to the SGW by looking into its IP routing table to determine how to reach the PDN server.
- D. The SGW forwards the UE's IP packets to the PGW based on the address of the PDN server.

E. Only answers C and D are correct.

F. Only answers A and B are correct.

Correct Answer: F

---

#### QUESTION 4

On an Alcatel-Lucent 7750 PGW, which of the following is the CLI context where you can specify the IP address and port number of a PCRF server?

A. Under the Diameter profile context.

B. Under the Diameter Peer profile context.

C. Under the Gx interface context.

D. Under the APN context.

E. None of the above answers are correct.

Correct Answer: B

---

#### QUESTION 5

Based on the information shown in the exhibit, which of the following is the time interval used by the SGW to retransmit a GTP signaling message?

```
*A:SGW# show mobile-gateway profile gtp default
=====
GTP profile
=====
Profile name           : default
Description            : N/A
Msg retransmit timeout : 5 secs      Msg retransmit retry count : 3
Keep alive timeout    : 60 secs      Keep alive retry count    : 3
Keep alive T3 response : 3 secs
IP TTL                : 255          IP DSCP                    : 56
=====
Number of profiles : 1
=====
```

A. 3 seconds

B. 5 seconds

C. 6 seconds

D. 60 seconds

E. 90 seconds

Correct Answer: B

[4A0-M02 PDF Dumps](#)

[4A0-M02 Practice Test](#)

[4A0-M02 Study Guide](#)