

4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In this exhibit, a new SCTP profile is configured on the MME.

Which interface(s) in the given exhibit can be associated with this profile?



```
# cmm sctpProfile create -name sctp-profile -rtoMin 100 -rtoMax 500
```

- A. S1-MME only
- B. S11 only
- C. Both S1-MME and S6a
- D. Both S11 and S6a

Correct Answer: C

QUESTION 2

Which of the following statements regarding IMS emergency services is FALSE?

- A. IMS emergency services depend on location services (LCS).
- B. MME obtains emergency PGW identity from the subscription data in HSS.
- C. Local emergency number list is used by UE to detect if an emergency number is dialed.

D. MME can be configured to provide emergency services to UEs in limited service state.

Correct Answer: A

QUESTION 3

Which of the following statements best defines S-TMSI?

- A. A permanent, unique identification of a mobile subscriber in the GSM/UMTS/EPS system.
- B. A network that provides mobile communication services to the public.
- C. A globally unique temporary mobile identifier used to hide the subscriber's real permanent identity.
- D. An identifier assigned by the MME that uniquely identifies a UE within an MME pool.

Correct Answer: C

QUESTION 4

Which logical interface is used to transfer UE information from one MME to another MME during relocation?

- A. S10
- B. S3
- C. S6a
- D. S13

Correct Answer: A

Reference: <https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/>

QUESTION 5

Which of the following statements regarding IMEI checking is FALSE?

- A. MME requests IMEI from the UE.
- B. MME receives the IMEI status from the HSS given the UE's IMEI.
- C. The IMEI status can be whitelisted, blacklisted, or greylisted.
- D. MME decides whether to reject the Attach procedure from UE based on the IMEI status.

Correct Answer: B