

4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/4a0-m05.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which of the following statements about networks used by CMG is FALSE?

- A. A management network used for CMG management
- B. Data switch fabric is used to carry signaling messages between LB-VMs and OAM-VMs
- C. Control switch fabric is used to carry inter-VM control messaging
- D. External networks are used to carry both control plane and user plane traffic

Correct Answer: A

QUESTION 2

Which of the following about CMG configuration management is FALSE?

- A. CMG can be configured using CLI commands
- B. CMG can be configured using SNMP interfaces
- C. CloudBand Infrastructure Software (CBIS) is used for CMG out-of-band management
- D. CMG OAM-VM provides system configuration, system assurance, and alarm management

Correct Answer: B

QUESTION 3

Which of the following statements regarding CMM scaling is TRUE?

- A. DBS VMs can scale out in steps of a single VM.
- B. NECC VMs can scale out in steps of a single VM.
- C. CPPS VMs can scale out in steps of a single VM.
- D. IPDS VMs can scale out in steps of a single VM.

Correct Answer: C

QUESTION 4

Which of the following is NOT a component of the CMM virtual network function?

- A. Load Balancer (LB)
- B. Packet Processing Service (PAPS)



https://www.leads4pass.com/4a0-m05.html

2024 Latest leads4pass 4A0-M05 PDF and VCE dumps Download

- C. Network Element Cluster Controller (NECC)
- D. Database Service (DBS)

Correct Answer: A

QUESTION 5

Which of the following best describes the reason for CPU pinning?

- A. To ensure that a VM is assigned to high performance CPU cores.
- B. To ensure that a VM\\'s CPU cores area all allocated on the same NUMA node.
- C. To ensure that a VM is assigned to a compute node with adequate resources.
- D. To ensure that a VM is assigned a sufficient number of CPU cores.

Correct Answer: A

4A0-M05 PDF Dumps

4A0-M05 VCE Dumps

4A0-M05 Study Guide