

4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/4a0-m05.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following best describes the reason for CPU pinning?

- A. To ensure that a VM is assigned to high performance CPU cores.
- B. To ensure that a VM's CPU cores are all allocated on the same NUMA node.
- C. To ensure that a VM is assigned to a compute node with adequate resources.
- D. To ensure that a VM is assigned a sufficient number of CPU cores.

Correct Answer: A

QUESTION 2

Which of the following is correct about CMM system overall health check?

- A. The "fns_monitor" command is only available at the NECC VM.
- B. The "cmm_monitor" command is used to run the complete set of health checks for a specific CMM VM.
- C. The "cmm_monitor" command can be manually executed on any CMM VM.
- D. The "fns_monitor" and "cmm_monitor" commands require superuser privilege.

Correct Answer: D

QUESTION 3

Which of the following describes the 2N model for VM redundancy?

- A. There is one active VM and one standby VM that takes over if the active VM fails.
- B. There are N active VMs and a pool of standby VMs that can take over if one or more active VMs fail.
- C. There are N active VMs, each one paired with a standby VM that takes over if its active VM fails.
- D. There are 2N active VMs deployed to support a service that needs N active VMs, with extra capacity in case one or more VMs fail.

Correct Answer: C

QUESTION 4

Which of the following statements regarding CMM deployment is FALSE?

- A. Hyperthreading and CPU pinning are enabled.

- B. An anti-affinity rule is used to ensure NECC VMs are deployed on different servers.
- C. Two availability zones are required for a successful CMM deployment.
- D. SR-IOV and DPDK are used to accelerate packet processing.

Correct Answer: D

QUESTION 5

The following statements describe requirements to configure CPU pinning in OpenStack. Which statement is FALSE?

- A. The user specifies the compute node to be used for the VM to ensure that it supports CPU pinning.
- B. A host aggregate is configured to specify the compute nodes to be used for CPU pinning.
- C. A flavor is defined that supports CPU pinning.
- D. Compute nodes must be configured so that Linux processes do not run on cores reserved for VMs.

Correct Answer: D

[4A0-M05 VCE Dumps](#)

[4A0-M05 Exam Questions](#)

[4A0-M05 Braindumps](#)