4A0-M10^{Q&As}

Nokia 5G Packet Core Architecture

Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/4a0-m10.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nokia Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



Leads4Pass

QUESTION 1

Which of the following actions related to slicing is NOT performed during UE initial registration procedure?

- A. An AMF that supports the requested NSSAI is selected to serve the UE.
- B. AMF receives an AMF set from NSSF.
- C. AMF receives a list of SMFs which support the requested NSSAI from NRF.
- D. UE receives the allowed NSSAI from AMF.

Correct Answer: B

QUESTION 2

Which of the following best describes the function of a PDU session flow classifier?

- A. An SMF that dynamically inserts and removes uplink classifiers (UL CL) at the UPFs.
- B. An SMF that dynamically inserts and removes UL CL at the UE.
- C. A UPF that terminates the N6 interface towards the data network.
- D. A UPF that filters uplink traffic according to UL CL rules provided by the SMF.

Correct Answer: A

Reference: https://www.metaswitch.com/knowledge-center/reference/what-is-the-5g-user-plane-function-upf

QUESTION 3

NF A wants to explicitly subscribe for event notifications at NF B. Which of the following actions regarding this mechanism is FALSE?

- A. NF A acts as a service consumer and NF B acts as a service producer.
- B. NF A includes a subscription identifier in the request message sent to NF B.
- C. NF A includes a callback URI in the request message sent to NF B.
- D. NF A includes event filtering criteria in the request message sent to NF B.

Correct Answer: C

Leads4Pass

QUESTION 4

A UE triggers an initial registration procedure to use services offered by a 5G network. Which of the following actions is NOT performed as a result of this procedure?

- A. AMF interacts with AUSF to authenticate the UE.
- B. AMF interacts with PCF to create an AM (access and mobility) policy association.
- C. AMF retrieves the UE AM (access and mobility) and SM (session management) data from UDM.
- D. AMF allocates a 5G-GUTI and includes it in the Registration Accept message sent to UE.

Correct Answer: C

Reference: https://www.sciencedirect.com/topics/engineering/registration-area

QUESTION 5

Which of the following best describes the Secondary Node Addition procedure?

- A. Used to transfer bearer contexts from the master eNB to the secondary gNB.
- B. Used to establish a UE context at the gNB for a UE that supports option 3X.
- C. Used to establish connectivity from the gNB to the EPC.
- D. Used to establish an X2 connection between the eNB and gNB.

Correct Answer: D

Latest 4A0-M10 Dumps

4A0-M10 PDF Dumps

4A0-M10 Study Guide