

# 4A0-M10<sup>Q&As</sup>

Nokia 5G Packet Core Architecture

## Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/4a0-m10.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which of the following best describes the Secondary Node Addition procedure?

- A. Used to transfer bearer contexts from the master eNB to the secondary gNB.
- B. Used to establish a UE context at the gNB for a UE that supports option 3X.
- C. Used to establish connectivity from the gNB to the EPC.
- D. Used to establish an X2 connection between the eNB and gNB.

Correct Answer: D

---

## QUESTION 2

Which Nokia product is used for the AMF in 5GS?

- A. Cloud Mobility Manager
- B. Cloud Mobile Gateway
- C. Network Resource Discovery
- D. Smart Plan Suite

Correct Answer: A

Reference: <https://www.nokia.com/networks/products/cloud-mobility-manager/>

---

## QUESTION 3

Which of the following elements is NOT used in the 5G non-standalone (NSA) deployment Option 3?

- A. Evolved Packet Core
- B. ng-eNB
- C. gNB
- D. Dual Radio UE

Correct Answer: A

Reference: <https://www.gsma.com/futurenetworks/wiki/5g-implementation-guidelines/>

---

## QUESTION 4

Which of the following statements about 5G NG-RAN is FALSE?

- A. The Xn interface is used to connect gNB to ng-eNB.
- B. The NG interface is used to connect ng-eNB to UPF.
- C. The Xn interface is used to connect ng-eNB to AMF.
- D. The NG interface is used to connect gNB to NGC.

Correct Answer: A

Reference: [https://www.etsi.org/deliver/etsi\\_ts/138400\\_138499/138401/15.02.00\\_60/ts\\_138401v150200p.pdf](https://www.etsi.org/deliver/etsi_ts/138400_138499/138401/15.02.00_60/ts_138401v150200p.pdf) (12)

---

## QUESTION 5

A UE triggers an initial registration procedure to use services offered by a 5G network. Which of the following actions is NOT performed as a result of this procedure?

- A. AMF interacts with AUSF to authenticate the UE.
- B. AMF interacts with PCF to create an AM (access and mobility) policy association.
- C. AMF retrieves the UE AM (access and mobility) and SM (session management) data from UDM.
- D. AMF allocates a 5G-GUTI and includes it in the Registration Accept message sent to UE.

Correct Answer: C

Reference: <https://www.sciencedirect.com/topics/engineering/registration-area>

[4A0-M10 VCE Dumps](#)

[4A0-M10 Study Guide](#)

[4A0-M10 Braindumps](#)