

## 500-220<sup>Q&As</sup>

Cisco Meraki Solutions Specialist

### Pass Cisco 500-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/500-220.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

One thousand concurrent users stream video to their laptops. A 30/70 split between 2.4 GHz and 5 GHz is used. Based on client count, how many APs (rounded to the nearest whole number) are needed?

- A. 26
- B. 28
- C. 30
- D. 32

Correct Answer: C

---

## QUESTION 2

What is a feature of distributed Layer 3 roaming?

- A. An MX Security Appliance is not required as a concentrator.
- B. An MX Security Appliance is required as a concentrator.
- C. All wireless client traffic can be split-tunneled.
- D. All wireless client traffic is tunneled.

Correct Answer: A

Reference: [https://documentation.meraki.com/Architectures\\_and\\_Best\\_Practices/Cisco\\_Meraki\\_Best\\_Practice\\_Design/Best\\_Practice\\_Design\\_-\\_MR\\_Wireless/Wireless\\_Layer\\_3\\_Roaming\\_Best\\_Practices](https://documentation.meraki.com/Architectures_and_Best_Practices/Cisco_Meraki_Best_Practice_Design/Best_Practice_Design_-_MR_Wireless/Wireless_Layer_3_Roaming_Best_Practices)

---

## QUESTION 3

Which VLAN is used to source pings across the site-to-site VPN when using the MX Live tools?

- A. highest VLAN ID that is configured and set to NO to use VPN
- B. lowest VLAN ID that is configured and set to YES to use VPN
- C. highest VLAN ID that is configured and set to YES to use VPN
- D. lowest VLAN ID configured and set to NO to use VPN

Correct Answer: C

Reference:  
[https://documentation.meraki.com/General\\_Administration/Tools\\_and\\_Troubleshooting/Using\\_the\\_Ping\\_Live\\_Tool](https://documentation.meraki.com/General_Administration/Tools_and_Troubleshooting/Using_the_Ping_Live_Tool)

---

## QUESTION 4

A Cisco Meraki MV camera is monitoring an office and its field of vision currently captures work desks and employee computer screens. However, recording employee computer screens is prohibited by local regulation. Which feature in Dashboard can be used to preserve the current position of the camera while also meeting regulation requirements?

- A. zone exclusion
- B. privacy window
- C. area of interest
- D. sensor crop
- E. restricted mode

Correct Answer: B

---

## QUESTION 5

Which three verbs of request are available in the Cisco Meraki API? (Choose three.)

- A. SET
- B. PUT
- C. PATCH
- D. ADD
- E. POST
- F. GET

Correct Answer: BEF

Reference: [https://documentation.meraki.com/General\\_Administration/Other\\_Topics/Cisco\\_Meraki\\_Dashboard\\_API](https://documentation.meraki.com/General_Administration/Other_Topics/Cisco_Meraki_Dashboard_API)

[500-220 PDF Dumps](#)

[500-220 VCE Dumps](#)

[500-220 Exam Questions](#)