

500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/500-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When are core dump files created by the system?

- A. There are too many critical events.
- B. There are too many duplicate messages.
- C. The commit database is full.
- D. A process fails or terminates abnormally.

Correct Answer: D

QUESTION 2

What is the default MP-BGP address-family on IOS-XR?

- A. IPv6 unicast
- B. There is no default address-family
- C. IPv4 unicast
- D. VPNv4

Correct Answer: B

QUESTION 3

Which command is required to permit the retention of BGP Prefixes on a router with VRFs not importing the associated Route Target?

- A. route-policy PASS-ALL in
- B. retain route-target all
- C. import route-target policy all
- D. import route-target all

Correct Answer: B

QUESTION 4

One of your peers show in the SHOW BGP VPNV4 UNICAST SUMMARY output What is the cause of this?

- A. The label value ranges are mismatched.

- B. The peer has no prefixes with a Route-Target that the local router is importing.
- C. The BGP prefixes between the routers have not fully converged and will correct itself in time.
- D. The peer router is not configured to use the VPNv4 address-family for this connection.

Correct Answer: D

QUESTION 5

Which is required on the CE router in an L3VPN solution?

- A. Configure the PE-CE Routing protocol
- B. Define the VPN by creating a VRF
- C. Assign the PE facing interface to a VRF
- D. Configure MPLS forwarding on the interface to the PE router

Correct Answer: A

[500-230 VCE Dumps](#)

[500-230 Practice Test](#)

[500-230 Study Guide](#)