

500-601^{Q&As}

Application Centric Infrastructure Support Representative

Pass Cisco 500-601 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/500-601.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

If a Cisco ARC cluster is fully operational, how many replica copies does each shard have in addition to the leader replica?

- A. 4
- B. 3
- C. 1
- D. 2

Correct Answer: B

QUESTION 2

Which command is used to successfully SSH into a Cisco ARC or switch CLI using a remote authentication server?

- A. `apic#rad_check//username@192.168.1.21`
- B. `ssh apic#rad_check\\username@192.168.1.21`
- C. `ssh apic#ad_ch?k//username@192.168.1.21`
- D. `ssh apic@rad_check\\username@192.168.1.21`

Correct Answer: C

QUESTION 3

During day-to-day operations, you notice that the HealthScore has decreased. What should you check first to understand what has impacted the score?

- A. faults
- B. audit togs
- C. events
- D. accounting logs

Correct Answer: A

QUESTION 4

Refer to the exhibit Which IP address is displayed?

```
admin@apic1:~> acidiag fmvread
```

ID	Name	Serial Number	IP Address	Role	State	LastUpdMsgId
101	Leaf101		10.0.224.95/32	Leaf	active	0
102	Leaf102		10.0.224.92/32	Leaf	active	0
103	Leaf103		10.0.224.91/32	Leaf	active	0
104	Leaf104		10.0.224.90/32	Leaf	active	0
201	Spine201		10.0.224.94/32	Spine	active	0
202	Spine202		10.0.224.93/32	Spine	active	0

Total 6 nodes

- A. infrastructure IP
- B. out-of-band IP
- C. management IP
- D. in-band IP

Correct Answer: D

QUESTION 5

Refer to the exhibit

F16438[FSM:STAGE:FAILED]: Establish connection Stage: comp/prov-VMware/ ctrlr-[RTPACILab]-TestVcenter Failed to retrieve ServiceContent from the vCenter server 10.122.253.152(FSMSTAGE:ifc:vmmgr:CompCtrlrAdd:Connect)

```
F16438[FSM:STAGE:FAILED]: Establish connection Stage: comp/prov-VMware/ ctrlr-[RTPACILab]-TestVcenter Failed to retrieve ServiceContent from the vCenter server 10.122.253.152(FSM-STAGE:ifc:vmmgr:CompCtrlrAdd:Connect)
```

Which option is a potential reason why you would see this output while provisioning a DVS?

- A. The specified data center does not exist on the vCenter m question.
- B. The Cisco APIC(s) cannot reach the vCenter host/vm.
- C. The Service Content process has crashed.
- D. Cisco Discovery Protocol is disabled on the vswitch policy tied to the corresponding AAEP.

Correct Answer: A

[500-601 PDF Dumps](#)

[500-601 VCE Dumps](#)

[500-601 Study Guide](#)