

# 500-710<sup>Q&As</sup>

Cisco Video Infrastructure Implementation

## Pass Cisco 500-710 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/500-710.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Which two	products	can be	used to	schedule a	CMR	Cloud	meeting?	Choose tw	vo)

- A. Microsoft Exchange with WebEx Integration
- B. Microsoft Exchange with WebEx Scheduler App
- C. WebEx Scheduler App
- D. Microsoft Exchange with WebEx TMSXE Integration
- E. TMS Smart Scheduler

Correct Answer: AD

#### **QUESTION 2**

For Hybrid Services to be fully enabled with Cisco Spark, how many connectors must be established in the Cisco premises environment?

- A. 2
- B. 4
- C. 3
- D. 1

Correct Answer: B

### **QUESTION 3**


Which two options are requirements to use OAuth access tokens with Cisco Spark? (Choose two.)

- A. Tokens must request access to servers before applications register to Cisco Spark.
- B. Servers must register to Cisco Spark as an application to request access tokens.
- C. Applications can only request the access token when the authenticated user grants permissions to this service
- D. Applications must register to Cisco Spark as a server to request access tokens.
- E. Services can request the access token only when the authenticated user grants permissions to this service.

Correct Answer: BC

#### COTTOOL 7 WILDWOT. L

#### **QUESTION 4**



Which primary purpose of the traversal subzone is true?

- A. to apply bandwidth restrictions on traversal calls
- B. to enable firewall traversal between public and private endpoints
- C. to provide for mobile remote access for endpoints outside the network
- D. to encrypt traversal calls to neighbored Expressways

Correct Answer: B

#### **QUESTION 5**

Which configuration on the Expressway is needed for a SIP end point to register?

- A. active neighbor zone between the end point and the Expressway
- B. SIP authentication enabled
- C. Registration restriction policy in Allow mode
- D. SIPdomain

Correct Answer: D

500-710 Study Guide

500-710 Exam Questions

500-710 Braindumps