5V0-21.19^{Q&As}

VMware vSAN 6.7 Specialist Exam 2019

Pass VMware 5V0-21.19 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/5v0-21-19.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A vSAN all-flash environment with these host specifications has reported high network latency, write

latency, and faces degraded performance:

One 1Gbps (vSAN, vMotion Traffic)

One 1Gbps (Management, Fault Tolerance traffic)

Based on the specifications of each host, what is recommended to resolve the issue?

A. collapse all traffic into one 1Gbps NIC

B. collapse all traffic shared under two 10Gbps NICs

C. change stripe width to 12

D. change MTU to 9000

Correct Answer: B

QUESTION 2

What is the maximum number of failures an object can tolerate with RAID-6?

A. 2

B. 3

C. 4

D. 6

Correct Answer: A

Reference: https://vsan-essentials.gitbooks.io/vsan-6-2/content/chapter6.html

QUESTION 3

An administrator creates a storage policy with Failures To Tolerate (FTT) of two and RAID-6 erasure coding.

Which cluster configuration with a vSAN datastore is compatible with the storage policy?

A. 6-node hybrid

B. 7-node all-flash



https://www.leads4pass.com/5v0-21-19.html

2024 Latest leads4pass 5V0-21.19 PDF and VCE dumps Download

- C. 5-node all-flash
- D. 4-node hybrid

Correct Answer: B

QUESTION 4

When using vSAN Encryption, where does the Key Encryption Key persistently reside?

- A. in /etc/vmware/ssl on each vSAN host
- B. in the KMS server
- C. in a VM configuration file on vSAN
- D. in the vCenter Server cache

Correct Answer: C

Reference: https://blogs.vmware.com/virtualblocks/2018/07/13/understanding-ve-booting-w-vc-unavailable/

QUESTION 5

A vSAN cluster has this configuration: -4 hosts with 1 disk group per host -Each disk group contains 1 cache device and 7 capacity devices

What are two ways to increase the vSAN datastore storage capacity? (Choose two.)

- A. Add a host to the cluster
- B. Add a cache device to each disk group
- C. Add a capacity drive to each disk group
- D. Replace a cache device with a larger cache device
- E. Add a disk group to each host

Correct Answer: AE

<u>Latest 5V0-21.19 Dumps</u> <u>5V0-21.19 Study Guide</u> <u>5V0-21.19 Braindumps</u>