

5V0-21.19^{Q&As}

VMware vSAN 6.7 Specialist Exam 2019

Pass VMware 5V0-21.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/5v0-21-19.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What are two reasons why a vCenter UI can show a Noncompliant status for a VM storage object? (Choose two.)

- A. The object is no longer fully compliant with the associated storage policy.
- B. A storage hardware failure has caused permanent data loss for the object.
- C. The VM storage compliance alarm has been triggered for that object.
- D. The object is not associated with a guest VM.
- E. The object is not associated with a storage policy.

Correct Answer: AE

QUESTION 2

What is the maximum number of failures an object can tolerate with RAID-6?

- A. 2
- B. 3
- C. 4
- D. 6

Correct Answer: A

Reference: <https://vsan-essentials.gitbooks.io/vsan-6-2/content/chapter6.html>

QUESTION 3

When attempting to add a directly attached disk device to a host disk group, the intended disk does not show among the available devices in disk management.

Which action can be used to make the device available?

- A. delete all device partitions
- B. format the existing partition
- C. create a 1GB metadata partition
- D. create a VMFS partition

Correct Answer: D

QUESTION 4

The objects on a 4-node vSAN cluster are assigned a RAID-5 policy. A network outage occurs causing host one to lose connectivity with the rest of the cluster. Seventy-five minutes elapse.

What is the health state of the objects?

- A. Reduced availability with no rebuild
- B. Reduced availability with no rebuild ?delay timer
- C. Non-availability related incompliance [non-compliance]
- D. Reduced availability

Correct Answer: D

QUESTION 5

What would cause a vSAN: Basic (unicast) connectivity check failure in vSAN Health Check?

- A. One or more hosts in the cluster are unable to ping the vSAN VMkernel adapters of other hosts in the cluster.
- B. The throughput of the physical network supporting vSAN traffic is less than the recommended minimum throughput.
- C. The vSAN VMkernel adapter is shared with another service such as vMotion.
- D. vSAN is configured to use multicast to transmit data.

Correct Answer: A

Reference: <https://communities.vmware.com/thread/576629>

[5V0-21.19 VCE Dumps](#)

[5V0-21.19 Exam Questions](#)

[5V0-21.19 Braindumps](#)