

## 5V0-21.20<sup>Q&As</sup>

VMware Certified Master Specialist (HCI 2020)

### Pass VMware 5V0-21.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/5v0-21-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

A storage administrator is consolidating 2 data centers running on an HCI platform. There is a single site deployment of VMs running on the HCI platform with vSAN encryption. The administrator would like to protect data using replication and has these tools available:

vSphere replication VM encryption VMware vSAN

Considering the scenario, which statement is correct?

- A. Encrypted VM disks are not supported with VMware vSAN, only encrypted vSAN datastore.
- B. If a source VM has encrypted disks, the VM storage policy must be encrypted.
- C. If source VMs have encrypted disks, the target storage policy cannot include a VM encryption rule.
- D. If VMs have encrypted disks, the VM storage policy has a choice of encrypted or not encrypted.

Correct Answer: A

---

## QUESTION 2

An infrastructure architect is submitting a proposal for a vSAN Cluster.

These are the customer's requirements:

Maximize the amount of usable capacity.

Deduplication and compression will be enabled to help maximize usable capacity.

Which disk group configuration should the architect include in their design?

- A. One disk group with one flash device for cache and six flash devices for capacity.
- B. Three disk groups with one flash device for cache and two flash devices for capacity per disk group.
- C. Five disk groups with one flash device for cache and one magnetic device for capacity per disk group.
- D. One disk group with one flash device for cache and six magnetic devices for capacity.

Correct Answer: B

---

## QUESTION 3

An administrator would like to put a vSAN host in an existing vSAN Cluster in maintenance mode. vMotion is configured and DRS is set to Fully Automated and all other advanced settings are their defaults.

The administrator uses this PowerCLI command:

```
Set-VMHost -VMHost "esxi-host01.corp.local" -State "Maintenance"
```

What is the default behavior?

- A. Virtual machines will be live migrated and all storage objects residing on this host will migrate to another host that is not in maintenance mode.
- B. Virtual machines will be live migrated to another host not in maintenance mode and storage objects will be migrated if it is required to be accessible.
- C. Virtual machines will be live migrated to another host not in maintenance mode and storage objects will not migrate regardless of policy and state.
- D. Virtual machines will not be live migrated to another host not in maintenance mode and storage objects will be migrated if it is required to be accessible.

Correct Answer: A

---

#### QUESTION 4

A higher level of resiliency has been requested for an existing vSAN Stretched Cluster. A key requirement will be the addition of a third site to protect against a potential double site failure of the two mirrored sites in the stretched cluster. What solution would meet the resiliency requirement?

- A. Replicate to the third site at the VM level using vSphere Replication.
- B. Configure vSAN Stretched Cluster with FTT=2 to replicate to the third site.
- C. Add the third site to the existing vSAN Stretched Cluster.
- D. Replicate to the third site at the vSAN datastore level using Site Recovery Manager.

Correct Answer: C

---

#### QUESTION 5

A vSAN disk group contains one cache drive and four capacity drives. A drive that belongs to this disk group has failed. The entire disk group containing the failed drive is offline. What are two possible reasons the entire disk group is offline? (Choose two.)

- A. Deduplication and compression is enabled on the cluster.
- B. RAID-5/6 (Erase Coding) is one of the failure tolerance methods in use.
- C. The failed drive is configured as a cache drive for the disk group.
- D. Data-at-rest encryption is enabled for the disk group.
- E. Two capacity drives in the disk group are offline.

Correct Answer: CE

---

[Latest 5V0-21.20 Dumps](#)

[5V0-21.20 Practice Test](#)

[5V0-21.20 Study Guide](#)