

5V0-21.21^{Q&As}

VMware HCI Master Specialist Dumps

Pass VMware 5V0-21.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/5v0-21-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An architect collected the below technical requirements from the customer during a vSAN cluster design workshop:

Maximize the vSAN datastore usable capacity.

Deduplication and compression are required to help utilize available capacity efficiency.

Ensure the highest level of resiliency wherever possible.

Which disk group configuration should the architect include in the design?

- A. One disk group per host, with one cache tier flash disk and four capacity tier flash disks.
- B. Two disk groups per host, each with one cache tier flash disk and four capacity tier flash disks.
- C. Two disk groups per host, each with one cache tier flash disk and six capacity tier flash disks.
- D. Two disk groups per host, each with one cache tier flash disk and six capacity tier magnetic disks.

Correct Answer: D

QUESTION 2

An administrator is tasked with migrating a VMware Horizon View environment that is currently running on an NFS Datastore to VMware vSAN.

Which Horizon configuration option will not be available when configuring vSAN in Horizon View?

- A. Instant Clones
- B. Linked Clones
- C. Storage Tiers
- D. Storage Profiles

Correct Answer: C

QUESTION 3

Which statement accurately describes the result when proper VM Storage Policy Affinity Rules on a stretched vSAN cluster are set?

- A. When a site is disconnected, the VM will lose access to its VMDK.

- B. When a site is disconnected, the VM will continue to have access to its VMDK.
- C. Bandwidth is unnecessarily sent across the inter-site link.
- D. Proper policies result in higher inter-site bandwidth utilization.

Correct Answer: A

QUESTION 4

A customer is planning to deploy a vSAN cluster to host their in-house distributed ERP system. The hardware specifications for their server nodes include:

2 x Intel Xeon CPU E5-2697 v3 @ 2.60GHz 1TB memory

Which boot device is supported for the vSAN ESXi nodes for this customer?

- A. A 16GB single-level cell (SLC) SATADOM device must be used.
- B. A 4GB USB or SD device must be used.
- C. A 16GB multiple-level cell (MLC) SATADOM device must be used.
- D. ESXi Hosts must boot from a PMEM device.

Correct Answer: C

QUESTION 5

An administrator has an absent capacity disk.

Which action, if any, should the administrator take to resolve the problem?

- A. Wait, and vSAN will rebuild it.
- B. Replace the faulty disk.
- C. Replace the faulty host.
- D. Verify the host is not isolated.

Correct Answer: A