

5V0-22.21^{Q&As}

VMware vSAN 6.7 Specialist

Pass VMware 5V0-22.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/5v0-22-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A vSAN administrator has three available racks and six vSAN hosts and needs to protect against a rack failure while maximizing resources.

Which two strategies should the vSAN administrator use to achieve this goal? (Choose two.)

- A. RAID-5/FTT=1
- B. vSAN stretched cluster
- C. Specify fault domains
- D. RAID-6/FTT=2
- E. 2-node configuration

Correct Answer: CD

QUESTION 2

Which state is NOT a compliance status of a VM Storage Policy?

- A. Compliant
- B. Noncompliant
- C. Stale
- D. Not Applicable

Correct Answer: C

QUESTION 3

A new vSAN Cluster with four hosts has to be designed for a single site architecture. Which design decision is correct?

- A. All the data must remain accessible even with two host failures.
- B. Configure the storage controllers to use RAID.
- C. Use block-based storage for the new vSAN cluster.
- D. Only hardware listed on the VMware Compatibility Guide will be deployed.

Correct Answer: B

QUESTION 4

All of the virtual machines running on a hybrid vSAN datastore have this storage policy assigned:

Failures to Tolerate (FTT) rule is set to "2 Failures - RAID-1 (Mirroring)".

The vSAN administrator needs to reduce the amount of vSAN datastore capacity the virtual machines will consume.


Which action should the vSAN administrator take to meet this goal?

- A. Change the FTT rule to "1 Failure - RAID-1 (Mirroring)", and select "Now" for Reapply to VMs.
- B. Add the "Flash read cache reservation" rule to the storage policy, and set to 0%.
- C. Disable Operations reserve and Host rebuild reserve and click "Apply".
- D. Modify the FTT rule to "2 Failures - RAID-5 (Erasure Coding)".

Correct Answer: A

QUESTION 5

In a 2-node vSAN cluster, one node has recovered from failure with FTT=1 and RAID-1 storage policy. Refer to the exhibit:



What is the total VMDK storage consumed?

- A. 150 GB B. 100GB
- C. 133GB
- D. 200GB

Correct Answer: B

[5V0-22.21 VCE Dumps](#)

[5V0-22.21 Study Guide](#)

[5V0-22.21 Exam Questions](#)