

600-210^{Q&As}

Implementing Cisco Service Provider Mobility UMTS Networks

Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/600-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Which three AVPs are needed to enable usage monitoring over Gx on the GGSN? (Choose three.)

- A. Bearer-Identifier
- B. Monitoring-Key
- C. QoS-Information
- D. Granted-Service-Unit
- E. Usage-Monitoring-Level
- F. Usage-Monitoring-Support

Correct Answer: BDE

QUESTION 2

Your company has decided to implement URL blacklisting for the ACME company rulebase and discard any blacklisted matches found in subscriber HTTP traffic. Which configuration accomplishes this task?

- A. active-charging service acme_acs url-blacklisting method exact-match rulebase acme_rulebase urlblacklisting action discard
- B. active-charging service acme_acs url-blacklisting method exact-match rulebase acme_rulebase urlblacklisting action terminate-flow
- C. active-charging service acme_acs url-blacklisting method http post url-blacklisting method http get rulebase acme_rulebase url-blacklisting action discard
- D. active-charging service acme_acs url-blacklisting method http post url-blacklisting method http get rulebase acme_rulebase url-blacklisting action terminate-flow

Correct Answer: A

QUESTION 3

Refer to the exhibit.

```
[local] ASR5500# show diameter peers full all
-----
Context: dia                      Endpoint: cisco
-----
Peer Hostname: peer.cisco
Local Hostname: sessmgr.cisco
Peer Realm: cisco
Local Realm: cisco
Peer Address: 172.16.196.1:3868
Local Address: 192.168.47.15:47447
State: IDLE[TCP]
CPU: 2/0                          Task: sessmgr
Messages Out/Queued: 0/0
Supported Vendor IDs: 10415,12645
Admin Status: Enable
```

The locally configured Diameter peer does not seem to be communicating with its remote peer. Which option describes the problem?

- A. Ports are not correctly configured.
- B. No common AVP was found during capabilities exchange procedure.
- C. The transport layer connection is not established.
- D. Diameter does not support TCP as a transport protocol.

Correct Answer: C

QUESTION 4

Which two nodes implement the GTP-U protocol in a UMTS network? (Choose two.)

- A. Gateway GPRS Support Node
- B. Base Station Controller
- C. Radio Network Controller
- D. Home Location Registrar
- E. Mobility Management Entity
- F. Mobile Switching Center

Correct Answer: AB

QUESTION 5

Which two options describe two reasons for deploying MPLS on GGSN? (Choose two.)

- A. Ensure faster routing.
- B. Replace RIP.
- C. Allow overlapping IP addressing in different APNs.
- D. Segregate corporate APN traffic.
- E. Replace GRE tunnels.

Correct Answer: CD

[Latest 600-210 Dumps](#)

[600-210 PDF Dumps](#)

[600-210 Exam Questions](#)