

## 600-210<sup>Q&As</sup>

Implementing Cisco Service Provider Mobility UMTS Networks

### Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/600-210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

According to 3GPP standards, which option is the interface between the Charging Data Function and the Charging Gateway Function?

- A. Gz
- B. Gc
- C. AAA
- D. Rf
- E. Ga

Correct Answer: E

---

**QUESTION 2**

When the failure handling mode is configured as Terminate, which behavior is expected on the GGSN when the OCS sends the diameter result code=4012 within the MSCC in CCA-U message?

- A. The GGSN retries sending the CCR-U to the secondary OCS if available, and then terminates the PDP.
- B. The GGSN terminates the PDP.
- C. The GGSN allows the PDP to continue as an offline session, which disables the Gy interface.
- D. The GGSN blacklists the rating group listed within the MSCC AVP.

Correct Answer: D

---

**QUESTION 3**

In which two ways does SGSN detect and know when GGSN has restarted? (Choose two.)

- A. change in recovery value in echo response
- B. change in recovery value in PDU notification request from GGSN to SGSN
- C. change in recovery value in Update PDP Context Request from GGSN to SGSN
- D. when the sequence number in a response message is different from that of the request message
- E. when the TEID value in response in GTP header is different from that of the request message

Correct Answer: AC

---

## QUESTION 4

Which two configurations are required for narrow band SS7 configuration in the Cisco ASR 5000 system? (Choose two.)

- A. link type configuration in the SS7 routing domain
- B. framing type configuration at the card level
- C. SCCP network association at the port level
- D. lu-PS service association at the port level
- E. peer server configuration at the SS7 routing domain

Correct Answer: AB

---

## QUESTION 5

In which three scenarios is a Create Session Request sent to the SGW? (Choose three.)

- A. Gn/Gp SGSN to S4 SGSN routing area update
- B. Gn/Gp SGSN to MME tracking area update procedure
- C. UE requested PDN connectivity
- D. UE triggered service request
- E. ready to STANDBY transition within the network
- F. network triggered service request procedure

Correct Answer: ABC

[600-210 VCE Dumps](#)

[600-210 Practice Test](#)

[600-210 Braindumps](#)