

600-212^{Q&As}

Implementing Cisco Service Provider Mobility LTE Networks

Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/600-212.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which option describes local-user accounts on the Cisco ASR 5000?

- A. The local-user account is ANSI T1.276-2003 compliant.
- B. The local-user account can be configured only in the local context.
- C. The local-user account allows for privilege-level escalation on a context level.
- D. The local-user account can be accessed only from the serial port.

Correct Answer: A

QUESTION 2

Which option is the value of the AVP Auth-Application-ID for the Gy interface?

- A. 17
- B. 4
- C. 38
- D. 13

Correct Answer: B

QUESTION 3

Exhibit:

```

CDR ELEMENTS FOLLOW
recordType                SGWRECORD
servedIMSI                123012345612345
sgwAddress                172.16.1.5
chargingID                288951821
servingNodeAddress        172.16.1.6
servingNodeType            MME
pgwAddressUsed            172.16.1.7
accessPointNameNI        cisco
pdnType                    IPV4
servedPDPPDNAddress        10.1.1.100
dynamicAddressFlag        TRUE
recordOpeningTime          140127183053+0400
duration                    137
causeForRecClosing        Volume Limit
rATType                    eUTRAN
MSTimeZone                +04:00
recordSequenceNumber        14
apnSelectionMode          MS or Network Provided and
Subscription Verified
servedMSISDN                123456789123
chargingCharacteristics    Normal
chargingCharSelMode        Serving Node Supplied
servingNodePLMN-Id        123, 03
pGWPLMNIdentifier          123, 03
startTime                    140127172905+0400
pDNConnectionID            288951821
    
```

Refer to the exhibit. Which two options best describe this CDR? (Choose two.)

- A. The CDR was generated for IMSI +91-123012345612345
- B. The CDR was generated for an MS that belongs to the "cisco" APN.
- C. The CDR was generated because the volume limit was reached.
- D. The CDR was generated for the home subscriber.
- E. The CDR was generated due to RAT Type change to EUTRAN

Correct Answer: BC

QUESTION 4

Which three sub-AVPs must be sent within the AVP Charging-Rule-Install when installing a dynamic PCC rule on the PGW? (Choose three.)

- A. Flow-Information
- B. Bearer-ID

- C. QoS-Class-Identifier
- D. APN-Aggregate-Max-Bitrate-UL
- E. Allocation-Retention-Priority
- F. Bearer-Control-Mode: UE_NW (2)

Correct Answer: ACE

QUESTION 5

Which statement about idle mode signaling reduction in the LTE network is true?

- A. ISR support is not mandatory for UEs that support GERAN/UTRAN.
- B. ISR requires special functionality on the UE and the core network nodes (MME, SGSN, and S-GW).
- C. ISR requires special functionality on the UE and the core network nodes (MME and SGSN).
- D. Gn/Gp SGSN supports idle mode signaling reduction functionality.

Correct Answer: B

[600-212 Practice Test](#)

[600-212 Exam Questions](#)

[600-212 Braindumps](#)