

600-212^{Q&As}

mplementing Cisco Service Provider Mobility LTE Networks

Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/600-212.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which	3GPP	specification	describes	charging	management,	charging	architecture.	and i	orinciples?

- A. 3GPP-TS-32.240
- B. 3GPP-TS-32.295
- C. 3GPP-TS-32.297
- D. 3GPP-TS-32.299

Correct Answer: A

QUESTION 2

Which EPS integrity algorithm is mandatory for the UEs?

- A. EIA0
- B. SNOW 3G
- C. AES
- D. ZUC

Correct Answer: A

QUESTION 3


You are configuring the Cisco ASR 5000 Serving Gateway. You want to configure a reference point between the eNodeB and the SGW for the user plane and inter-eNodeB path switching during handover. Which option describes where the interface IP address associates?

- A. The address associates to the SGW service.
- B. The address associates to the GTPU service.
- C. The address associates to the EGTP service.
- D. The address associates to the S1U service.

Correct Answer: B

QUESTION 4

Which Diameter command is used when P-CSCF sends the desired uplink and downlink bandwidth information to the PCRF?



A. RAR

B. AAR

C. CCR

D. MAR

Correct Answer: B

QUESTION 5

Which option describes what happens if a Voice over LTE IMS client attaches to an LTE EPC?

- A. A default bearer is established in IMS APN.
- B. A dedicated bearer is established in IMS APN.
- C. A default bearer and a dedicated bearer are established in IMS APN.
- D. No EPC bearer is established in IMS APN at this stage.

Correct Answer: A

600-212 Practice Test

600-212 Exam Questions

600-212 Braindumps