

# 600-212<sup>Q&As</sup>

Implementing Cisco Service Provider Mobility LTE Networks

## Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/600-212.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

Which three sub-AVPs must be sent within the AVP Charging-Rule-Install when installing a dynamic PCC rule on the PGW? (Choose three.)

- A. Flow-Information
- B. Bearer-ID
- C. QoS-Class-Identifier
- D. APN-Aggregate-Max-Bitrate-UL
- E. Allocation-Retention-Priority
- F. Bearer-Control-Mode: UE\_NW (2)

Correct Answer: ACE

---

## QUESTION 2

Which option describes local-user accounts on the Cisco ASR 5000?

- A. The local-user account is ANSI T1.276-2003 compliant.
- B. The local-user account can be configured only in the local context.
- C. The local-user account allows for privilege-level escalation on a context level.
- D. The local-user account can be accessed only from the serial port.

Correct Answer: A

---

## QUESTION 3

Which two options are two functions of a proxy CSCF? (Choose two.)

- A. a SIP registrar that is responsible for session management
- B. an entity in IMS that connects with the ENUM server for the number portability function
- C. a SIP proxy node that acts as a signaling entry point into IMS
- D. an entity in IMS that works on both signaling and bearer domain
- E. an entity in IMS that connects with PCRF via the Rx interface
- F. an entity in IMS that interacts with application servers

Correct Answer: CE

---

## QUESTION 4

Which two methods are used for Lawful Intercept provisioning? (Choose two.)

- A. Stake out provisioning
- B. Camp-on provisioning provisioning
- C. Active call provisioning
- D. Surveillance provisioning
- E. Circuit tap provisioning

Correct Answer: BC

---

## QUESTION 5

Which configuration command enables the Cisco ASR 5000 to hold onto CDRs that are duplicates while waiting for the primary CGF to come up?

- A. GTPP duplicate-hold-time
- B. GTPP dictionary
- C. GTPP dead-interval
- D. GTPP default

Correct Answer: A

[Latest 600-212 Dumps](#)

[600-212 Study Guide](#)

[600-212 Braindumps](#)