



640-722^{Q&As}

Implementing Cisco Unified Wireless Networking Essentials v2.0

Pass Cisco 640-722 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/640-722.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are designing a wireless network in a medical facility. Which three areas are bad locations in which to install a wireless access point? (Choose three.)

- A. in front of the elevators doors
- B. in the hallways
- C. next to the electrical room
- D. inside offices
- E. near medical imaging devices
- F. in the lobby

Correct Answer: ACE

You should not install access points in areas where interference from outside devices can occur. A great deal of electrical interference can occur near the electrical room and near medical imaging devices. Also, because elevators often have metal doors and the shafts are often concrete or contain other materials that degrade Wi-Fi coverage, it is best to avoid them.

QUESTION 2

DRAG DROP

Drag the authentication types from the left and drop them on the correct descriptions on the right.

Select and Place:

EAP-FAST	Not used much anymore.
EAP-MD5	Requires a certificate on the server but not on the client.
EAP-TLS	Requires a client-side certificate.
LEAP	Strong password policies recommended.
PEAP	Uses a Protected Access Credential.

Correct Answer:



	EAP-MD5
	PEAP
	EAP-TLS
	LEAP
	EAP-FAST

QUESTION 3

Refer to the exhibit.

The screenshot shows the Cisco Wireless Control System (WCS) Home interface. At the top, there is an 'Alarm Summary' section with three colored indicators: a red triangle with the number 2, a yellow triangle with the number 1, and a green circle with the number 1. Below this, the 'WCS Home' section has tabs for General, Client, Security, Mesh, CleanAir, and ContextAware. The 'Inventory Detail Status' section shows three pie charts for Controllers (1), Radios (4), and MSEs (0). The 'Client Count' section shows a line graph for Associated Client Count and Authenticated Client Count over time. The 'Coverage Areas' table is also visible.

Name	Total APs	a/n Radios	b/g/n Radios	Critical Radio Alarms	Clients
System Campus	2	2	2	0	0

Which action allows you to view a summary count by alarm types for the displayed total of 11 alarms?

- A. Choose Monitor > Alarms
- B. Click the Security tab
- C. Click a respective number in the Alarm Summary
- D. Click the Alarm Summary blue arrow
- E. Choose Home (house icon) > Alarm Summary



Correct Answer: D

When WCS receives an alarm message from a controller, it displays an alarm indicator at the top of the WCS window (see Figure 2-11).



Note The Administration > Settings > Alarms page has a Hide Acknowledged Alarms checkbox. You must unselect it if you want acknowledged alarms to appear in the WCS Summary and Alarms Lists page. By default, acknowledged alarms are not shown.

Critical (red), Major (orange) and Minor (yellow) alarms appear in the alarm dashboard, left to right. Figure 2-11 WCS Alarm Summary



Alarms indicate the current fault or state of an element that needs attention, and they are usually generated by one or more events. The alarm can be cleared but the event remains.

QUESTION 4

An engineer is troubleshooting why wireless clients have not been able to connect to the network. Where would an engineer verify the total number of excluded clients in the last day?

- A. Security > Miscellaneous
- B. Security > Rogues
- C. Alarms
- D. Events
- E. Clients > Troubleshoot
- F. Access Points

Correct Answer: A

QUESTION 5

An installation uses a 21dBi parabolic dish. It is connected to the 802.11n radio via low loss antenna coax rated at 4dB loss/100 feet. After testing, it has been determined that 2mW of power will be lost in the cable. An EIRP producing 200mW is desired. What should the transmit power be set to?

- A. 8mW



B. 3dBm

C. 3.16mW

D. 5mW

Correct Answer: C

[640-722 VCE Dumps](#)

[640-722 Practice Test](#)

[640-722 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.