

# 640-878<sup>Q&As</sup>

Building Cisco Service Provider Next-Generation Network

# Pass Cisco 640-878 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/640-878.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.lead4pass.com/640-878.html

2021 Latest lead4pass 640-878 PDF and VCE dumps Download

### **QUESTION 1**

Which IP addresses are matched by the permit 192.168.80.64 0.0.0.15 access-list entry?

A. 192.168.80.64 to 192.168.80.255

B. 192.168.80.64 to 192.168.80.96

C. 192.168.80.64 to 192.168.80.95

D. 192.168.80.64 to 192.168.80.80

E. 192.168.80.64 to 192.168.80.79

Correct Answer: E

#### **QUESTION 2**

Refer to the partial Cisco IOS-XR configuration. What is the purpose of the for PFX to PEER command?

! mpls ldp label advertise disable for PFX to PEER!!

- A. To selectively enable LDP peering(s) with specific neighbors
- B. To selectively disable LDP peering(s) with specific neighbors
- C. To perform outbound filtering for local label advertisement for one or more prefixes to one or more peers
- D. To perform inbound filtering for local label advertisement for one or more prefixes from one or more peers

Correct Answer: C

#### **QUESTION 3**

A network administrator is troubleshooting an issue whereupon they able to ping the web server, but unable to web browse to the same web server. When the administrator telnets to the webserver on port 80, the administrator gets a connection refused message. At which three layers of the OSI model does the problem exist? (Choose three.)

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 4
- E. Layer 5
- F. Layer 6
- G. Layer 7



## https://www.lead4pass.com/640-878.html

2021 Latest lead4pass 640-878 PDF and VCE dumps Download

Correct Answer: DEG

## **QUESTION 4**

After configuring Q-in-Q on a new interface, the customer has requested that the IOS version and remote model also be viewable via the trunk. What additional command would need to be applied to both sides of the Q-in-Q trunk?

- A. I2protocol-tunnel cdp
- B. I2protocol-tunnel stp
- C. I2protocol-tunnel vtp
- D. I2protocol-tunnel IIdp
- E. I2protocol-tunnel odr

Correct Answer: A

#### **QUESTION 5**

Refer to the configuration output below. OSPFv2 is already configured on a customer router and the customer is requesting that OSPFv3 be added. What configuration is needed in order to add OSPFv3 to the fastethernet0/0 interface?

Configuration: ipv6 router ospf 1 router-id 209.165.200.227 area 2 nssa

interface fastethernet0/0 ip address 2001:DB8:0:7::

- A. interface FastEthernet0/0 ipv4 ospf 1 area 2
- B. interface FastEthernet0/0 ipv6 ospf 1 area 2
- C. interface FastEthernet0/0 ipv6 1 area 2
- D. interface FastEthernet0/0 area 2 ospf 1 ipv6

Correct Answer: B

Latest 640-878 Dumps

640-878 Study Guide

640-878 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.