642-457^{Q&As}

Implementing Cisco Unified Communications Manager, Part 2 v8.0 (CIPT2 v8.0)

Pass Cisco 642-457 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/642-457.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which action configures CAC utilizing only Cisco Unified Communications Manager software?

A. Configure Cisco Unified Communications Manager regions.

B. Configure Cisco Unified Communications Manager locations.

C. Configure Cisco Unified Communications Manager RSVP-enabled locations.

D. Configure Cisco Unified Communications Manager MTPs.

Correct Answer: B

QUESTION 2

When you configure regions in a Cisco Unified Communications Manager multisite cluster, which two are ways to prevent G.722 from being advertised in the cluster? (Choose two.)

A. modify the service parameter

B. modify the enterprise parameter

C. modify the device pool

D. modify the line settings

Correct Answer: AB

QUESTION 3

When Cisco Extension Mobility is implemented, which CSS is used for calling privileges?

A. The user device profile line CSS combined with the device CSS of the physical phone used to log in the extension mobility user.

B. The user device profile device CSS combined with the line CSS of the physical phone used to log in the extension mobility user.

C. Only the user device profile device CSS is used.

D. The combined line/device CSS of the physical phone is used to log in the extension mobility user.

E. The combined line/device CSS of the user device profile.

Correct Answer: A

QUESTION 4

With Media Gateway Control Protocol configuration on the voice gateway, which three types of messages are involved in the call flow between the call agent and the voice gateway? (Choose three.)

A. audit endpoint

B. modify endpoint

C. create connection

D. delete notification

E. restart in progress

F. end connections

Correct Answer: ACE

QUESTION 5

As a voice operations engineer, you need to standardize the firmware loads on a Cisco Unified Communications Manager cluster. You need to ensure that all the IP phones are loaded with device defaults load information. Which two locations can you verify to find the IP phones that have their firmware mismatched? (Choose two.)

A. Cisco Unified OS Administration > Software Upgrades > TFTP File Management

B. Cisco Unified CM Administration > Firmware Load Information

C. Cisco Unified CM Administration > Device > Phone

D. Cisco Unified OS Administration > Settings > Version

E. Cisco Unified CM Administration > Device Defaults Configuration

F. Cisco Unified Reporting > System Reports

Correct Answer: BF

[642-457 PDF Dumps](#)   [642-457 Study Guide](#)   [642-457 Exam Questions](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: