

642-457^{Q&As}

Implementing Cisco Unified Communications Manager, Part 2 v8.0 (CIPT2 v8.0)

Pass Cisco 642-457 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/642-457.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 🔅 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

How is a SIP trunk in Cisco Unified Communications Manager configured for SIP precondition?

A. The configuration is done by selecting a SIP precondition trunk for trunk type.

B. The configuration is automatically selected when RSVP is enabled for the location assigned to the trunk.


C. SIP precondition is configured by selecting E2E for RSVP over SIP on the default SIP profile assigned to the SIP trunk.

D. SIP precondition is configured by configuring a new SIP profile and selecting E2E for RSVP over SIP. The new SIP profile must then be assigned to the SIP trunk.

Correct Answer: D

QUESTION 2

Refer to the exhibit.



How many calls are permitted by the RSVP configuration?

A. one G.711 call

B. two G.729 calls

- C. one G.729 call and one G.711 call
- D. eight G.729 calls



E. four G.729 calls

Correct Answer: B

QUESTION 3

On which Cisco Unified Communications Manager configuration parameter does the CODEC that a Cisco IP Phone uses for a call depend?

- A. enterprise parameters
- B. media resources
- C. physical location
- D. region
- E. location

Correct Answer: D

QUESTION 4

As a voice operations engineer, you need to standardize the firmware loads on a Cisco Unified Communications Manager cluster. You need to ensure that all the IP phones are loaded with device defaults load information. Which two locations can you verify to find the IP phones that have their firmware mismatched? (Choose two.)

- A. Cisco Unified OS Administration > Software Upgrades > TFTP File Management
- B. Cisco Unified CM Administration > Firmware Load Information
- C. Cisco Unified CM Administration > Device > Phone
- D. Cisco Unified OS Administration > Settings > Version
- E. Cisco Unified CM Administration > Device Defaults Configuration
- F. Cisco Unified Reporting > System Reports

Correct Answer: BF

QUESTION 5

Where do you specify the device mobility group and physical location after they have been configured?

- A. phones
- B. DMI
- C. device mobility CSS



- D. device pool
- E. MRGL
- F. locale
- Correct Answer: D

642-457 PDF Dumps

642-457 Study Guide

642-457 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © lead4pass, All Rights Reserved.