

642-742^{Q&As}

Implementing Cisco Unified Wireless Voice Networks (IUWVN) v2.0

Pass Cisco 642-742 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/642-742.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

EAP-Identity-Request Timeout (seconds)	30
EAP-Identity-Request Max Retries	
EAP Key-Index for Dynamic WEP,	0
EAP Max-Login Ignore Identity Response	enable
EAP-Request Timeout (seconds)	10
EAP-Request Max Retries	2
EAPOL-Key Timeout (milliseconds)	1000
EAPOL-Key Max Retries	2 00.000
EAP-Broadcast Key Interval	3600

A customer is looking to deploy local radius authentication on their WLAN controller. After configuration has been completed, the administrator found that computers could authenticate; however, the VoIP phones could not. What is the problem given the output?

A. The EAP request-timeout is too short for the wireless phone to process the PAC from the WLAN controller.

- B. The EAP Broadcast Key interval is set to 1 hour however should be 8 hours.
- C. EAPOL-Key Max Retries should be set to 12 to ensure the wireless phone can authenticate.

D. EAPOL-Key timeout should be set to at least 20,000 Milliseconds to allow the PAC to be processed.

Correct Answer: A

QUESTION 2

After implementing mesh with an IP surveillance camera connected to the LAN port on a RAP, the engineer notices that QoS is not being marked. In this setup, what device is responsible for marking upstream traffic from the camera?

- A. IP Camera
- B. MAP
- C. RAP
- D. Wireless Controller
- E. First-Hop Router

Correct Answer: A

QUESTION 3

You have recently enabled multicast on your WLAN. When users join the multicast sessions, you see the traffic utilization on all the APs that are controlled by the Cisco WLC v7.0 increase, which includes those APs where there are



no multicast clients.

Which configuration parameter needs to be verified to prevent APs with no subscribed multicast clients from receiving traffic?

A. Switches between the Cisco WLC and APs are not configured for IGMP snooping.

B. The router interface that services the multicast needs to be configured for the sparse-dense multicast mode of operation.

- C. APs are not configured for IGMP snooping.
- D. The Cisco WLC is not configured for IGMP snooping.
- E. This is normal operation and cannot be changed.

Correct Answer: D

QUESTION 4

A client is WME capable and configured for AC_VOICE, but the QoS Priority of 6 is missing when analyzing an 802.11 frame. What three issues need to be investigated? (Choose three.)

- A. WLAN is WMM enabled
- B. DTIM is set to 10
- C. WMM IE present in beacons
- D. WMM IE present in association requests
- E. WMM IE present in association response
- F. WLAN is configured for Platinum QoS

Correct Answer: ACE

QUESTION 5

A customer has asked an engineer to design wireless voice for a Mesh deployment. What two design options are best practices per Cisco\\'s design guide? (Choose two.)

- A. indoor Mesh
- B. outdoor Mesh
- C. 3 Hops Max
- D. 4 Hops Max
- E. 3 MAPs per RAP Max
- F. 5 MAPs per RAP Max



Correct Answer: AE

Latest 642-742 Dumps

642-742 Study Guide

642-742 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © lead4pass, All Rights Reserved.