



642-813^{Q&As}

Implementing Cisco IP Switched Networks

Pass Cisco 642-813 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/642-813.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When you configure a private VLAN, which type of port must you configure the gateway router port as?

- A. promiscuous port
- B. isolated port
- C. community port
- D. access port

Correct Answer: A

QUESTION 2

Refer to the exhibit.

```
DSW1#sh vtp status
VTP Version                : running VTP1 (VTP2 capable)
Configuration Revision     : 2
Maximum VLANs supported locally : 1005
Number of existing VLANs   : 7
VTP Operating Mode         : Client
VTP Domain Name            : DALLAS
VTP Pruning Mode           : Disabled
VTP V2 Mode                 : Disabled
VTP Traps Generation       : Disabled
MD5 digest                  : 0xF1 0xAC 0x5E 0xCF 0xF7 0xEE 0x9E 0xD6
Configuration last modified by 10.101.101.11 at 3-1-93 23:57:30

DSW2#sh vtp status
VTP Version                : running VTP1 (VTP2 capable)
Configuration Revision     : 3
Maximum VLANs supported locally : 1005
Number of existing VLANs   : 7
VTP Operating Mode         : Server
VTP Domain Name            : DALLAS
VTP Pruning Mode           : Disabled
VTP V2 Mode                 : Disabled
VTP Traps Generation       : Disabled
MD5 digest                  : 0xE5 0x4D 0xC1 0xF0 0xBF 0xF1 0x4B 0xBC
Configuration last modified by 10.101.101.11 at 3-1-93 23:50:31

DSW2#sh spanning-tree mst configuration
Name      [DALLAS]
Revision  3      Instances configured 3

Instance  Vlans mapped
-----  -
0         1-9,11-19,21-29,41-4094
1         10,20
2         30-40
```

DSW1 should share the same MST region with switch DSW2. Which statement is true?

- A. Configure DSW1 with the same version number, and VLAN-to-instance mapping as shown on DSW2.
- B. DSW2 uses the VTP server mode to automatically propagate the MST configuration to DSW1.



- C. DSW1 automatically inherits MST configuration from DSW2 because they have the same domain name.
- D. Configure DSW1 with the same region name, revision number, and VLAN-to-instance mapping as shown on DSW2.
- E. DSW1 is in VTP client mode with a lower configuration revision number, therefore, it automatically inherits MST configuration from DW2.


Correct Answer: D

QUESTION 3

Refer to the exhibit.

```
switch#sh run
Building configuration...

Interface FastEthernet0/1
  description Uplink to Core
  switchport
  switchport trunk encapsulation dot1q
  switchport trunk allowed vlan 1-90,100-199,200-900,1000-4000
  switchport mode trunk
```




A network engineer changes the default native VLAN to VLAN 999. After applying the settings on the uplinks to the core switches, the switch control traffic, such as CDP and VTP, is no longer working. The standard configuration is used for each uplink. What is wrong with the configuration?

- A. The interface is administratively down.
- B. The encapsulation type is incorrect.
- C. The switchport mode trunk command should be first in the output.
- D. The native VLAN is not present on the trunk.
- E. The control traffic must be manually enabled on the new native VLAN.

Correct Answer: D

QUESTION 4

Your customer has asked you to come in and verify the operation of routers R1 and R2 which are configured to use HSRP. They have questions about how these two devices will perform in the event of a device failure.



Refer to the exhibit. If router R1 interface Ethernet0/0 goes down and recovers, which of the statement regarding HSRP priority is true?

- A. The interface will have the priority decremented by 40 for HSRP group 1.
- B. The interface will have the priority decremented by 60 for HSRP group 1
- C. The interface will have its current priority incremented by 40 for HSRP group 1
- D. The interface will have its current priority incremented by 60 for HSRP group 1
- E. The interface will default to the a priority of 100 for HSRP group 1

Correct Answer: C



QUESTION 5

What action should a network administrator take to enable VTP pruning on an entire management domain?

- A. Enable VTP pruning on any client switch in the domain.
- B. Enable VTP pruning on every switch in the domain.
- C. Enable VTP pruning on any switch in the management domain.
- D. Enable VTP pruning on a VTP server in the management domain.

Correct Answer: D

[Latest 642-813 Dumps](#)

[642-813 PDF Dumps](#)

[642-813 VCE Dumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.