

642-874^{Q&As}

Designing Cisco Network Service Architectures

Pass Cisco 642-874 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/642-874.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Click the Exhibit button.



Refer to the exhibit. Which Layer 2 feature detects a link failure between the switch and router B that decreases OSPF reconvergence to approximately 50 milliseconds?

- A. BFD
- B. UDLD
- C. RSTP
- D. PVST+

Correct Answer: A

QUESTION 2

Which option is the Cisco preferred, most versatile, and highest-performance way to deploy IPv6 in existing IPv4 environments?

- A. dual stack
- B. hybrid
- C. service block
- D. dual service

Correct Answer: A

QUESTION 3

OSPF stub areas are an important tool for the Network designer; which of the following two should be considered when utilizing OSPF stub areas? (Choose two)

A. OSPF stub areas increase the size of the LSDB with the addition of Type 3 and 5 LSAs



https://www.lead4pass.com/642-874.html

2021 Latest lead4pass 642-874 PDF and VCE dumps Download

- B. OSPF not so stubby areas are particularly useful as a simpler form of summarization
- C. OSPF stub areas are always insulated from external changes
- D. OSPF totally stubby areas cannot distinguish among ABRs for the best route to destinations outside the area
- E. OSPF stub areas can distinguish among ASBRs for destinations that are external to the OSPF domain

Correct Answer: CD

QUESTION 4

Which of the following should the Enterprise Campus network designer consider with respect to Video traffic?

- A. While it is expected that the sum of all forms of video traffic will grow to over 90% by 2013, the Enterprise will be spared this rapid adoption of video by consumers through a traditional top- down approach
- B. Avoid bandwidth starvation due to video traffic by preventing and controlling the wide adoption of unsupported video applications
- C. Which traffic model is in use, the flow direction for the traffic streams between the application components, and the traffic trends for each video application
- D. Streaming video applications are sensitive to delay while interactive video applications, using TCP as the underlying transport, are fairly tolerant of delay and jitter

Correct Answer: C

QUESTION 5

A network engineer must create a Layer 2 switch block design that has deterministic convergence and is loop-free at Layer 2. Which two switch block elements are needed to meet the requirements? (Choose two.)

- A. Layer 3 link between distribution switches
- B. HSRP with interface tracking on uplinks to core switches
- C. RPVST with equal bridge priority on distribution switches
- D. VLANs that do not span access switches
- E. Layer 2 link between distribution switches

Correct Answer: AD

Latest 642-874 Dumps

642-874 Study Guide

642-874 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.