



642-874^{Q&As}

Designing Cisco Network Service Architectures

Pass Cisco 642-874 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/642-874.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two design concerns must be addressed when designing a multicast implementation? (Choose two.)

- A. only the low-order 23 bits of the MAC address are used to map IP addresses
- B. only the low-order 24 bits of the MAC address are used to map IP addresses
- C. only the high-order 23 bits of the MAC address are used to map IP addresses
- D. only the low-order 23 bits of the IP address are used to map MAC addresses
- E. the 0x01004f MAC address prefix is used for mapping IP addresses to MAC addresses
- F. the 0x01005e MAC address prefix is used for mapping IP addresses to MAC addresses

Correct Answer: AF

QUESTION 2

Which two options are storage topologies? (Choose two.)

- A. WAS
- B. DAS
- C. CAS
- D. NAS

Correct Answer: BD

QUESTION 3

Which three options are features of IP SLAs? (Choose three.)

- A. enables verification of service guarantees
- B. dynamically adjusts QoS parameters
- C. validates network performance and metrics
- D. initiates failover for saturated links
- E. proactively identifies network related issues

Correct Answer: ACE

QUESTION 4



Which network virtualization technology provides logical isolation of network traffic at Layer 3?

- A. VSS
- B. VLAN
- C. VRF-Lite
- D. MEC

Correct Answer: C

QUESTION 5

Which two design recommendations are most appropriate when OSPF is the data center core routing protocol?
(Choose two.)

- A. Never use passive interfaces.
- B. Use NSSA areas from the core down.
- C. Use totally stub areas to stop type 3 LSAs.
- D. Use the lowest Ethernet interface IP address as the router ID.
- E. Manipulate the reference bandwidth.

Correct Answer: BE

[642-874 VCE Dumps](#)

[642-874 Practice Test](#)

[642-874 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.