

642-980^{Q&As}

Troubleshooting Cisco Data Center Unified Fabric

Pass Cisco 642-980 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/642-980.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/642-980.html

QUESTION 1

A customer has two data centers. In both data centers, the customer has two Cisco Nexus 7000 switches. For redundancy, the customer implemented HSRP and vPC. The customer implemented OTV to extend VLAN 325 between data centers and the customer has one default gateway over the four Cisco Nexus 7000 switches. The customer attempts HSRPfiltering over the DCI link with HSRPgroup 325. Which MAC addressshould be filtered over the DCI network?

- A. 0000.0c9f.f145
- B. 0000.0C07.A145
- C. 001e.0C9F.F145
- D. 001e.0C07.A145

Correct Answer: A

QUESTION 2

Which two statements are true regarding vPC configuration? (Choose two.)

- A. With vPC, there are no blocked ports.
- B. vPC uses hash-based EtherChannel load balancing.
- C. There are STP-blocked redundant links.
- D. There is VLAN-based load balancing.
- E. There is higher oversubscription.

Correct Answer: AB

QUESTION 3

Your customer is an ISP providing service to thousands of end customers. Its main concerns are focused on using up the total number of 4096 VLANs per VDC, wasting an unused block of IP addresses, and IP address management. Which technique will address these concerns?

- A. create a separate VDC to scale VLAN limitation and upgrade to Cisco Nexus 7018 Switch
- B. segment VLANs using secondary IP addresses, which will reduce the management domain
- C. create mapping between the VLAN and VSAN to run FCoE to consolidate VLAN and IP addresses
- D. use PVLANs, which will solve the scalability problem and provide IP address management

Correct Answer: D

https://www.lead4pass.com/642-980.html

2021 Latest lead4pass 642-980 PDF and VCE dumps Download

QUESTION 4

Which two occurrences happen during an ISSU? (Choose two.)

- A. FLOGI/fdisc or logo requests from servers fail until the ISSU is complete.
- B. The time-to-live value for CDP is increased (360 seconds) if it is less than the recommended timeout value.
- C. LACP is not affected because ISSU should not impact peers that rely on LACP because the recovery time is less than 90 seconds.
- D. NTP sessions stay alive and active.
- E. The control plane is offline for up to 300 seconds.

Correct Answer: AC

QUESTION 5

When using a Cisco Nexus 5500 and Cisco Nexus 7000 Series Switch, how can a port channel interface be configured?

- A. Layer 3 interface
- B. Layer 3 interface in non-admin VDC only
- C. Layer 3 interface in admin VDC only
- D. Layer 3 interface in VDC 1 only

Correct Answer: A

642-980 PDF Dumps

642-980 VCE Dumps

642-980 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.