



70-448^{Q&As}

TS:MS SQL Server 2008.Business Intelligence Dev and Maintenanc

Pass Microsoft 70-448 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/70-448.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You develop a SQL Server 2008 Reporting Services (SSRS) report.

A Multidimensional Expressions (MDX) query used in the report contains a parameter to display sales data for various product categories. You write the following query.

```
SELECT NON EMPTY ([Measures].[Reseller Sales-Order Quantity] ) ON COLUMNS,  
NON EMPTY  
{ ([Date].[Calendar Year].[Calendar Year].ALLMEMBERS * [Product].[Category].[Category].ALL  
ON CHAPTERS  
FROM  
(SELECT (STRTOSET([ProductCategory,CONSTRAINED]))  
ON COLUMNS FROM [Adventure Works Cube])
```



You discover that the query generates an error when executed. You need to ensure that the query executes successfully.

What should you do?

- A. Remove the NON EMPTY clauses.
- B. Replace the CHAPTERS axis with the ROWS axis.
- C. Replace the CHAPTERS axis with the SECTIONS axis.
- D. Rewrite the query to display the Order Quantity on the COLUMNS axis, the Calendar Year on the ROWS axis, and the Category data on the PAGES axis.

Correct Answer: B

QUESTION 2

You are creating a SQL Server 2008 Integration Services (SSIS) package which gets information from a FTP server through utilizing many FTP tasks and operate information through utilizing many Execute SQL tasks for Company.com.

After the package downloads the files, you should make sure that you could set the package to restart.

In order to solve the problem, which is the correct answer?

- A. You should set the HTTP tasks to hold transactions Log.
- B. You should set the Execute SQL store procedure to hold transactions Log.
- C. You should transfer the half HTTP job to a sequence container.
- D. You should set the package to utilize a checkpoint.

Correct Answer: D

QUESTION 3



You create a SQL Server 2008 Analysis Services (SSAS) solution. You have a dimension named Account and a time dimension named Time. You have a fact table that contains a column named CurrentBalance.

CurrentBalance contains the current account balance.

You need to create a measure named AccountBalance from the CurrentBalance column to display the closing account balance for a time period.

What should you do?

- A. Set the AggregationFunction property of AccountBalance to Sum.
- B. Set the AggregationFunction property of AccountBalance to ByAccount.
- C. Set the AggregationFunction property of AccountBalance to LastNonEmpty.
- D. Set the AggregationFunction property of AccountBalance to FirstNonEmpty.

Correct Answer: C

QUESTION 4

You design a report by using SQL Server 2008 Reporting Services (SSRS).

The report contains a dataset that has 25 million rows of data. The report is rendered by using the HTML rendering extension.

You need to ensure that users can view the report without delay during rendering, What should you do?

- A. Set the PageHeight property to 0.
- B. Set the InteractiveHeight property to 100.
- C. Set the InteractiveHeight property to 0,
- D. Set the PageHeight property to 100.

Correct Answer: B

To control pagination, you specify page-related properties in the report definition. Each rendering extension varies in how it supports page properties and whether it supports pagination altogether. The same report will paginate differently depending on which rendering extension you use to view it.

InteractiveHeight and InteractiveWidth are used by the HTML rendering extension to provide the equivalent of PageHeight and PageWidth. Because the HTML rendering extension dynamically resizes a report to accommodate drilldown,

drillthrough, and show/hide features, the report server uses different properties to support pagination on dynamic pages.

There is no maximum size for InteractiveHeight. A value of 0 is used to specify infinite height, regardless of the size designator it is paired with. When InteractiveHeight=0, the user can't see a report until all rendering completes.

Incorrect answers:



PageHeight and PageWidth properties are used by the PDF and Image rendering extensions to establish the regular occurrence of page breaks based on a physical measurement.

QUESTION 5

You are a database developer and you have about two years experience in creating business intelligence (BI) solutions by using SQL Server2008.

Now you are employed in a company which is named NaproStar and work as the technical support for the company which uses SQL Server2008 Analysis Services (SSAS) solution. You have a table named Bills with three columns contained. They are respectively Shipper, BillKey and BillQuantity. To meet the business development, a dimension named DimBills and a measure group named TruthBills are created from the Bills table. Besides, the BillKey is set as a key column and the Shipper is set as an attribute column.

According to the order of the CIO, a dimension relationship between the BillQuantity column and the Shipper column should be created to make sure that the Shipper column is able to aggregate BillQuantity column.

What action below should be performed to achieve this goal?

- A. A regular dimension relationship should be created between the DimBills dimension and the TruthBills measure group.
- B. The relationship between the TruthBills measure group and DimBills dimension should be set to No Relationship.
- C. A Truth dimension relationship should be created between the TruthBills measure group and DimBills dimension
- D. A regular dimension relationship should be created between the DimBills dimension and the TruthBills measure group. Besides, the Granularity attribute to Shipper and the measure group columns should be set to BillQuantity.
- E. A regular dimension relationship should be created between the DimBills dimension and the TruthBills measure group. Besides, the Granularity attribute to BillKey and the measure group columns should be set to BillQuantity

Correct Answer: C



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:


<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.