



# 70-458<sup>Q&As</sup>

Transition Your MCTS on SQL Server 2008 to MCSA: SQL Server 2012, Part 2

## Pass Microsoft 70-458 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/70-458.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1


You are developing a SQL Server Integration Services (SSIS) package that loads data into a data warehouse hosted on Windows Azure SQL Database.

You must combine two data sources together by using the ProductID column to provide complete details for each record. The data retrieved from each data source is sorted in ascending order by the ProductID column.


You need to develop a data flow that imports the data while meeting the requirements.

How should you develop the data flow? (To answer, drag the appropriate transformation from the list of transformations to the correct location in the answer area.)

Select and Place:



Correct Answer:



## QUESTION 2

Note: This question is part of a series of questions that use the same set of answer choices. An answer choice may be correct for more than one question in the series.

You administer a Microsoft SQL Server 2012 server that hosts a transactional database and a reporting database. The transactional database is updated through a web application and is operational throughout the day. The reporting database is only updated from the transactional database.



Database	Description
Transactional database	<p>Recovery model:</p> <ul style="list-style-type: none"><li>• Full</li></ul> <p>Backup schedule:</p> <ul style="list-style-type: none"><li>• Full database backup: midnight, daily</li><li>• Differential database backup: on the hour, every two hours starting at 02:00 hours except at 00:00 hours</li><li>• Log backup: every half hour, except at the times of full and differential backups</li></ul>
Reporting database	<p>Recovery model:</p> <ul style="list-style-type: none"><li>• Simple</li></ul> <p>Backup schedule:</p> <ul style="list-style-type: none"><li>• Full database backup: 01:00 hours daily</li><li>• Differential database backup: 13:00 hours daily</li></ul> <p>Data updates:</p> <ul style="list-style-type: none"><li>• Changes in data are updated from the transactional database to the reporting database at 00:30 hours and at 12:30 hours</li><li>• The update takes 15 minutes</li></ul>

At 16:20 hours, you discover that pages 17, 137, and 205 on one of the database files are corrupted on the transactional database.

You need to ensure that the transactional database is restored. You also need to ensure that data loss is minimal.

What should you do?

- A. Perform a page restore.
- B. Perform a partial restore.
- C. Perform a point-in-time restore.
- D. Restore the latest full backup.
- E. Restore the latest full backup. Then, restore the latest differential backup.
- F. Restore the latest full backup, and restore the latest differential backup. Then, restore the latest log backup.
- G. Restore the latest full backup, and restore the latest differential backup. Then, restore each log backup taken before the time of failure from the most recent differential backup.
- H. Restore the latest full backup. Then, restore each differential backup taken before the time of failure from the most recent full backup.

Correct Answer: A

### QUESTION 3



You administer a Microsoft SQL Server 2012 database.

The database is backed up according to the following schedule:

Daily full backup at 23:00 hours.

Differential backups on the hour, except at 23:00 hours.

Log backups every 10 minutes from the hour, except on the hour.

The database uses the Full recovery model.

A developer accidentally drops a number of tables and stored procedures from the database between 22:40 hours and 23:10 hours. You perform a database restore at 23:30 hours to recover the dropped table.

You need to restore the database by using the minimum amount of administrative effort. You also need to ensure minimal data loss.

Which three actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

Select and Place:

Restore the most recent full backup.
Restore the full backup taken the previous night.
Restore the differential backup taken at 22:00 hours.
Restore the transaction log backup taken at 22:40 hours.
Restore each transaction log backup taken from 22:00 hours till 22:40 hours.
Restore each transaction log backup taken from the most recent full backup.
Restore each differential database backup taken from the previous night's full backup.
Restore each transaction log backup taken from the previous night's full backup till 22:40 hours.



www.lead4pass.com

Correct Answer:



Restore the most recent full backup.

Restore the transaction log backup taken at 22:40 hours.

Restore each transaction log backup taken from the most recent full backup.

Restore each differential database backup taken from the previous night's full backup.

Restore each transaction log backup taken from the previous night's full backup till 22:40 hours.

Restore the full backup taken the previous night.

Restore the differential backup taken at 22:00 hours.

Restore each transaction log backup taken from 22:00 hours till 22:40 hours.

#### QUESTION 4

You are building a SQL Server Integration Services (SSIS) package to load data from all files that are automatically copied to a directory each night through an external FTP process.

You need to load data from all copied files to a destination table in SQL Server.

Which three steps should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

Select and Place:

Open the Control Flow page of the package.

On the Collection page, select the **Foreach File Enumerator** option and configure the directory and files to process.

On the Collection page, select the **Foreach ADO Enumerator** option and configure the ADO object source variable.

Create a File System task.

Create a For Loop container.

Create a Foreach Loop container.

Open the Data Flow page of the package.

Correct Answer:





The screenshot shows a list of steps for configuring an SSIS package. The steps are:

- Open the Control Flow page of the package.
- Create a Foreach Loop container.
- On the Collection page, select the **Foreach File Enumerator** option and configure the directory and files to process.
- Create a File System task.
- Create a For Loop container.
- Open the Data Flow page of the package.

Additional text from the screenshot: "On the Collection page, select the **Foreach ADO Enumerator** option and configure the ADO object source variable."

#### QUESTION 5

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series. Information and details provided in a question apply only to that question.

You are deploying a new SQL Server Integration Services (SSIS) package to several servers.

The package must meet the following requirements:

INET Common Language Runtime (CLR) integration in SQL Server must not be enabled.

The Connection Managers used in the package must be configurable without editing the package.

The deployment procedure must be automated as much as possible.

You need to set up a deployment strategy that meets the requirements.

- A. Use the gacutil command.
- B. use the dtutil /copy command.
- C. use the Project Deployment Wizard.
- D. create an OnError event handler.
- E. create a reusable custom logging component.
- F. Run the package by using the dtexec /rep /conn command.
- G. Run the package by using the dtexec /dumperror /conn command.
- H. Run the package by using the dtexecui.exe utility and the SQL Log provider.
- I. Add a data tap on the output of a component in the package data flow.



J. Deploy the package by using an msi file.

K. Deploy the package to the Integration Services catalog by using dtutil and use SQL Server to store the configuration.

Correct Answer: B

[70-458 PDF Dumps](#)

[70-458 Exam Questions](#)

[70-458 Braindumps](#)





To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.