



# 70-469<sup>Q&As</sup>

Re for MCSE: Data Platform

## Pass Microsoft 70-469 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/70-469.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The business requires a satellite office to have a local copy of the data to report against.

You want to implement a solution to support the requirements. You need to establish a new Availability Group between the two servers.

Develop the solution by selecting and arranging the required code blocks in the correct order. You may not need all of the code blocks.

Select and Place:



### Code Blocks

```
EXEC master.dbo.sp_addlinkedserver @server  
= N'SATELLITE_SERVER', @srvproduct=N'SQL Server'
```

```
CREATE ENDPOINT [Hadr_endpoint]  
  
STATE = STARTED AS TCP (LISTENER_PORT =  
5022)  
FOR DATA_MIRRORING (ROLE = ALL)
```

```
ALTER AVAILABILITY GROUP  
[ProdDB_AG] JOIN;
```

```
CREATE AVAILABILITY GROUP [ProdDB_AG]  
FOR DATABASE [ProdDB] REPLICA ON  
N'HQ_Server' WITH  
(ENDPOINT_URL = N'TCP://  
HQ_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE =  
ASYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY)),  
N'Satellite_Server' WITH  
(ENDPOINT_URL = N'TCP://  
Satellite_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE =  
ASYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY));
```

```
CREATE ENDPOINT sql_endpoint  
STATE = STARTED  
AS HTTP( PATH = '/alwayson',  
AUTHENTICATION = ( INTEGRATED ),  
PORTS = ( CLEAR ),  
SITE = 'SERVER');
```

```
CREATE AVAILABILITY GROUP [ProdDB_AG]  
FOR DATABASE [ProdDB] REPLICA ON  
N'HQ_Server' WITH  
(ENDPOINT_URL = N'TCP://  
HQ_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE = SYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY)),  
N'Satellite_Server' WITH  
(ENDPOINT_URL = N'TCP://  
Satellite_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE = SYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY));
```

```
ALTER AVAILABILITY GROUP [ProdDB_AG]  
ADD LISTENER N'ProdDB_AG_Listener' (  
WITH PORT=1433);
```

```
ALTER DATABASE [ProdDB] SET HADR  
AVAILABILITY GROUP = [ProdDB_AG];
```

```
RESTORE DATABASE [ProdDB] FROM DISK =  
N'\\FILESERVER\SQLbackups\ProdDB.bak'
```

```
BACKUP LOG [ProdDB] TO  
DISK = N'\\FILESERVER\SQLbackups  
\ProdDB.trn'  
WITH NORECOVERY
```

### Answer Area

www.lead4pass.com



Correct Answer:



Code Blocks

Answer Area

```
CREATE ENDPOINT sql_endpoint  
STATE = STARTED  
AS HTTP( PATH = '/alwayson',  
AUTHENTICATION = ( INTEGRATED ),  
PORTS = ( CLEAR ),  
SITE = 'SERVER');
```

```
CREATE AVAILABILITY GROUP [ProdDB_AG]  
FOR DATABASE [ProdDB] REPLICA ON  
N'HQ_Server' WITH  
(ENDPOINT_URL = N'TCP://  
HQ_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE = SYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY)),  
N'Satellite_Server' WITH  
(ENDPOINT_URL = N'TCP://  
Satellite_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE = SYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY));
```

```
ALTER AVAILABILITY GROUP [ProdDB_AG]  
ADD LISTENER N'ProdDB_AG_Listener' (  
WITH PORT=1433);
```

```
EXEC master.dbo.sp_addlinkedserver @server  
= N'SATELLITE_SERVER', @srvproduct=N'SQL Server'
```

```
CREATE ENDPOINT [Hadr_endpoint]  
  
STATE = STARTED AS TCP (LISTENER_PORT =  
5022)  
FOR DATA_MIRRORING (ROLE = ALL)
```

```
CREATE AVAILABILITY GROUP [ProdDB_AG]  
FOR DATABASE [ProdDB] REPLICA ON  
N'HQ_Server' WITH  
(ENDPOINT_URL = N'TCP://  
HQ_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE =  
ASYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY)),  
N'Satellite_Server' WITH  
(ENDPOINT_URL = N'TCP://  
Satellite_Server.OurDomain.com:5022',  
FAILOVER_MODE = MANUAL,  
AVAILABILITY_MODE =  
ASYNCHRONOUS_COMMIT,  
SECONDARY_ROLE(ALLOW_CONNECTIONS =  
READ_ONLY));
```

```
ALTER AVAILABILITY GROUP  
[ProdDB_AG] JOIN;
```

```
BACKUP LOG [ProdDB] TO  
DISK = N'\\FILESERVER\SQLbackups  
\ProdDB.trn'  
WITH NORECOVERY
```

```
RESTORE DATABASE [ProdDB] FROM DISK =  
N'\\FILESERVER\SQLbackups\ProdDB.bak'
```

```
ALTER DATABASE [ProdDB] SET HADR  
AVAILABILITY GROUP = [ProdDB_AG];
```



## QUESTION 2

You need to create the InvoiceStatus table in DB1.

How should you define the InvoiceID column in the CREATE TABLE statement?

- A. InvoiceID bigint  
DEFAULT (NEXT VALUE FOR Accounting.InvoiceID\_Seq) NOT NULL,
- B. InvoiceID bigint DEFAULT ((NEXT VALUE  
FOR Accounting.InvoiceID\_Seq OVER  
(ORDER BY InvoiceStatusID))) NOT NULL FOREIGN  
KEY REFERENCES Accounting.Invoices(InvoiceID),
- C. InvoiceID bigint FOREIGN KEY REFERENCES  
Accounting.Invoices(InvoiceID) NOT NULL,
- D. InvoiceID bigint DEFAULT ((NEXT VALUE  
FOR Accounting.InvoiceID\_Seq  
OVER (ORDER BY InvoiceStatusID))) NOT NULL,



A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

## QUESTION 3

You use SQL Server 2014. You create a table within a database by using the following DDL:



```
CREATE TABLE OrderData
(
OrderID INT IDENTITY(1,1) Primary Key Clustered,
OrderDate SMALLDATETIME NOT NULL DEFAULT getdate(),
CustomerID INT,
IsTaxable INT,
SubTotal SmallMoney DEFAULT (0),
TaxAmount AS (Case IsTaxable when 1 then SubTotal * .0875 else NULL END),
Freight SmallMoney,
OrderReturnedDate DATE,
OrderReturnedCustReason TEXT,
OrderReturnedEval Varchar(MAX)
)
```

The following table illustrates a representative sample of data:

| OrderID | OrderDate        | CustomerID | IsTaxable | SubTotal | TaxAmount | Freight |
|---------|------------------|------------|-----------|----------|-----------|---------|
| 1       | 11/13/2013 11:22 | 58465      | NULL      | \$ 25.99 | NULL      | \$ 5.40 |
| 2       | 11/15/2013 9:34  | 12588      | NULL      | \$ 42.00 | NULL      | NULL    |
| 3       | 12/1/2013 14:34  | 85477      | NULL      | \$ 23.99 | NULL      | \$ 4.85 |
| 4       | 12/17/2013 4:31  | 58742      | NULL      | \$ 19.00 | NULL      | NULL    |
| 5       | 1/3/2014 8:22    | 12477      | NULL      | \$ 13.50 | NULL      | \$ 5.40 |
| 6       | 1/5/2014 18:39   | 63214      | NULL      | \$ 5.69  | NULL      | NULL    |
| 7       | 1/15/2014 14:22  | 85471      | NULL      | \$ 18.99 | NULL      | \$ 7.85 |
| 8       | 1/19/2014 3:20   | 85412      | NULL      | \$ 65.77 | NULL      | NULL    |
| 9       | 1/22/2014 13:44  | 12588      | NULL      | \$ 22.38 | NULL      | \$ 7.35 |
| 10      | 1/28/2014 10:14  | 85471      | 1         | \$ 24.99 | \$ 2.19   | \$ 5.40 |

The system is expected to handle 50 million orders a month over the next five years.

You have been instructed by your Team Lead to follow best practices for storage and performance in the utilization of SPARSE columns.

Which columns should you designate as SPARSE? To answer, mark each column as SPARSE or NOT SPARSE in the answer area.

Hot Area:



### Answer Area

| Column Names | Sparse                | Not Sparse            |
|--------------|-----------------------|-----------------------|
| OrderID      | <input type="radio"/> | <input type="radio"/> |
| OrderDate    | <input type="radio"/> | <input type="radio"/> |
| CustomerID   | <input type="radio"/> | <input type="radio"/> |
| IsTaxable    | <input type="radio"/> | <input type="radio"/> |
| SubTotal     | <input type="radio"/> | <input type="radio"/> |
| TaxAmount    | <input type="radio"/> | <input type="radio"/> |
| Freight      | <input type="radio"/> | <input type="radio"/> |

Correct Answer:

### Answer Area

| Column Names | Sparse                           | Not Sparse                       |
|--------------|----------------------------------|----------------------------------|
| OrderID      | <input type="radio"/>            | <input checked="" type="radio"/> |
| OrderDate    | <input type="radio"/>            | <input checked="" type="radio"/> |
| CustomerID   | <input type="radio"/>            | <input checked="" type="radio"/> |
| IsTaxable    | <input checked="" type="radio"/> | <input type="radio"/>            |
| SubTotal     | <input type="radio"/>            | <input checked="" type="radio"/> |
| TaxAmount    | <input checked="" type="radio"/> | <input type="radio"/>            |
| Freight      | <input checked="" type="radio"/> | <input type="radio"/>            |





#### QUESTION 4

You plan to deploy a database to SQL Azure.

You are designing two stored procedures named USP\_1 and USP\_2 that have the following requirements:

Prevent data read by USP\_1 from being modified by other active processes.

Allow USP\_2 to perform dirty reads.

You need to recommend the isolation level for the stored procedures.

The solution must maximize concurrency.

Which isolation levels should you recommend?


To answer, drag the appropriate isolation level to the correct stored procedure in the answer area.

Select and Place:

| Isolation Levels |     | Answer Area     |
|------------------|-----|-----------------|
| read committed   | SP1 | Isolation level |
| read uncommitted | SP2 | Isolation level |
| repeatable read  |     |                 |
| serializable     |     |                 |

*www.lead4pass.com*

Correct Answer:



#### QUESTION 5

You need to modify usp.GetOrdersAndItems to ensure that an order is NOT retrieved by usp\_GetOrdersAndItems while the order is being updated. What should you add to usp.GetOrdersAndItems?

- A. Add WITH (NOLOCK) to the end of line 47.
- B. Add SET TRANSACTION ISOLATION LEVEL READ COMMITTED to line 44.
- C. Add SET TRANSACTION ISOLATION LEVEL READ UNCOMMITTED to line 44.
- D. Add WITH (READPAST) to the end of line 47.

Correct Answer: B

[70-469 PDF Dumps](#)

[70-469 VCE Dumps](#)

[70-469 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



|   |   |  |
|---|---|--|
|  <p><b>One Year Free Update</b><br/>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  <p><b>Money Back Guarantee</b><br/>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  <p><b>Security &amp; Privacy</b><br/>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p> |
|---|---|--|

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.