



70-692^{Q&As}

Upgrading Your Windows XP Skills to MCSA Windows 8

Pass Microsoft 70-692 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/70-692.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are the network administrator for Contoso.com and are creating an image for a Windows 8.1 implementation for all of your users.

You find out that an application your company has used for many years is not compatible with Windows 8.1. It has always worked on your Vista computers with SP2. The application requires administrator privileges.

You need to configure the correct settings so that the application can run on Windows 8.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Select Run this program as an administrator in the Compatibility Troubleshooter.
- B. Assign the application to Run as administrator on the Security tab of the application executable file properties.
- C. Modify the User Account Control Settings by adjusting the slider to Never Notify.
- D. Using the Compatibility Troubleshooter, check Run this application in compatibility mode for and select Vista (Service Pack 2).
- E. Using the Application Compatibility toolkit, run the Windows Vista Compatibility Evaluator for Windows 8, and select the Service Pack 2 option.

Correct Answer: DE



C:\Users\Chaudhry\Desktop\1.jpg



C:\Users\Chaudhry\Desktop\1.jpg



C:\Users\Chaudhry\Desktop\1.jpg

QUESTION 2

You are on a company's desktop support team.

You receive a call from an employee. The employee is having problems installing an old printer on a Windows 8.1 Pro computer. The employee asks you to look at the driver that is installed and assess if it is the correct one.

You need to open the device manager remotely.

Which four actions should you perform in sequence? (To answer, move the appropriate four actions from the list of actions to the answer area and arrange them in the correct order.)

Select and Place:



Actions	Answer Area
At the Run command, type mmc devmgmt.msc and select Enter.	
At the Select Computer dialog box, enter the remote computer.	
Expand System Tools and select Device Manager.	
On the Action menu, click Connect to another computer .	
Select remote computer from Device Manager Action Menu.	
At the Run command, type mmc compmgmt.msc and select Enter.	

Correct Answer:

Actions	Answer Area
At the Run command, type mmc devmgmt.msc and select Enter.	At the Run command, type mmc compmgmt.msc and select Enter.
	On the Action menu, click Connect to another computer .
	At the Select Computer dialog box, enter the remote computer.
Select remote computer from Device Manager Action Menu.	Expand System Tools and select Device Manager.

QUESTION 3

A company has an Active Directory Domain Services (AD DS) domain with Windows 8.1 client computers.

You need to minimize the amount of Trusted Platform Module (TPM) authorization information that is stored in the registry.

What should you do?



- A. Create a Group Policy object (GPO) that sets the Configure the level of TPM owner authorization information available to operating system policy setting to None.
- B. Create a Group Policy object (GPO) that enables the Turn on TPM Local Encryption policy setting.
- C. Create a Group Policy object (GPO) that disables the Configure the level of TPM owner authorization information available to operating system policy setting.
- D. Enable Platform Configuration Register indices (PCRs) 0, 2, 4, and 11 for the Configure TPM validation profile for native UEFI firmware configuration policy setting.

Correct Answer: A

Explanation: http://technet.microsoft.com/en-us/library/jj679889.aspx#BKMK_tpmgp_oauthos Configure the level of TPM owner authorization information available to the operating system

This policy setting configures how much of the TPM owner authorization information is stored in the registry of the local computer. Depending on the amount of TPM owner authorization information that is stored locally, the Windows operating

system and TPM- based applications can perform certain actions in the TPM that require TPM owner authorization without requiring the user to enter the TPM owner password.

There are three TPM owner authentication settings that are managed by the Windows operating system.

You can choose a value of Full, Delegate, or None. Full - This setting stores the full TPM owner authorization, the TPM administrative delegation blob, and the TPM user delegation blob in the local registry. With this setting, you can use the

TPM without requiring remote or external storage of the TPM owner authorization value. This setting is appropriate for scenarios that do not require you to reset the TPM anti-hammering logic or change the TPM owner authorization value.

Some TPM- based applications may require that this setting is changed before features that depend on the TPM anti-hammering logic can be used. Delegated - This setting stores only the TPM administrative delegation blob and the TPM

user delegation blob in the local registry. This setting is appropriate for use with TPM-based applications that depend on the TPM antihammering logic. When you use this setting, we recommend using external or remote storage for the full

TPM owner authorization value--for example, backing up the value in Active Directory Domain Services (AD DS).

None - This setting provides compatibility with previous operating systems and applications. You can also use it for scenarios when TPM owner authorization cannot be stored locally. Using this setting might cause issues with some TPM-

based applications.

Further Information:

<http://technet.microsoft.com/en-us/library/cc770660.aspx> Active Directory Domain Services (AD DS) can be used to store Trusted Platform Module (TPM) recovery information.

There is only one TPM owner password per computer; therefore, the hash of the TPM owner password is stored as an attribute of the computer object in AD DS. The attribute has the common name (CN) of ms-TPM-OwnerInformation.
<http://>

www.group-policy.com/ref/policy/2859/Configure_TPM_platform_validation_profile Configure TPM platform validation profile



This policy setting allows you to configure how the computer's Trusted Platform Module (TPM) security hardware secures the BitLocker encryption key. This policy setting does not apply if the computer does not have a compatible TPM or if

BitLocker has already been turned on with TPM protection.

If you enable this policy setting before turning on BitLocker, you can configure the boot components that the TPM will validate before unlocking access to the BitLocker-encrypted operating system drive. If any of these components change while BitLocker protection is in effect, the TPM will not release the encryption key to unlock the drive and the computer will instead display the BitLocker Recovery console and require that either the recovery password or recovery key be provided to unlock the drive.

If you disable or do not configure this policy setting, the TPM uses the default platform validation profile or the platform validation profile specified by the setup script. A platform validation profile consists of a set of Platform Configuration Register (PCR) indices ranging from 0 to 23. The default platform validation profile secures the encryption key against changes to the Core Root of Trust of Measurement (CRTM), BIOS, and Platform Extensions (PCR 0), the Option ROM Code (PCR 2), the Master Boot Record (MBR) Code (PCR 4), the NTFS Boot Sector (PCR 8), the NTFS Boot Block (PCR 9), the Boot Manager (PCR 10), and the BitLocker Access Control (PCR 11). The descriptions of PCR settings for computers that use an Extensible Firmware Interface (EFI) are different than the PCR settings described for computers that use a standard BIOS. The BitLocker Drive Encryption Deployment Guide on Microsoft TechNet contains a complete list of PCR settings for both EFI and standard BIOS. Warning: Changing from the default platform validation profile affects the security and manageability of your computer. BitLocker's sensitivity to platform modifications (malicious or authorized) is increased or decreased depending upon inclusion or exclusion (respectively) of the PCRs.

QUESTION 4

A company has Windows 8.1 client computers. Finance department employees store files in the C:\Finance directory. File History is on.

A Finance department employee attempts to restore a file to a previous version by using File History. The file is not available to restore. You need to establish why the file history is not available and ensure that it is available in the future.


Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Set the Protection Settings for drive C to On.
- B. Review the File History backup log.
- C. Restore the data files from the Previous Versions tab located in the folder properties.
- D. Move the file into a library.

Correct Answer: BD

QUESTION 5

You have 10 Windows 8.1 Pro client computers. The Storage Spaces settings of the computers are configured as shown in the following exhibit. (Click the Exhibit button.)



To answer, complete each statement according to the information presented in the exhibit. Each correct selection is worth one point.

Hot Area:

...are used in the Storage space (E:) two-way mirror

- All disks
- Disk 1 and Disk 3
- Disk 2 and Disk 4

The current capacity of the Storage space (E:) is ...

- 126 GB
- 252 GB
- 504 GB
- 505 GB

In order to modify the resiliency type of Storage space (E:), you need to ...

- select Add drives.
- select Change.
- select Delete.

Correct Answer:



...are used in the Storage space (E:) two-way mirror

Dropdown menu with options: All disks, Disk 1 and Disk 3, Disk 2 and Disk 4

The current capacity of the Storage space (E:) is ...

Dropdown menu with options: 126 GB, 252 GB, 504 GB, 505 GB

In order to modify the resiliency type of Storage space (E:), you need to ...

Dropdown menu with options: select Add drives., select Change., select Delete.

[Latest 70-692 Dumps](#)

[70-692 PDF Dumps](#)

[70-692 Brindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.