

70-773^{Q&As}

Analyzing Big Data with Microsoft R

Pass Microsoft 70-773 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/70-773.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/70-773.html

QUESTION 1

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

You need to calculate a measure of central tendency and variability for the variables in a dataset that is grouped by using another categorical variable.

What should you use?

- A. the Describe package
- B. the rxHistogram function
- C. the rxSummary function
- D. the rxQuantile function
- E. the rxCube function
- F. the summary function
- G. the rxCrossTabs function
- H. the ggplot2 package

Correct Answer: C

QUESTION 2

You need to build a model that looks at the probability of an outcome. You must regulate between L1 and L2. Which classification method should you use?

- A. Two-Class Neutral Network
- B. Two-Class Support Vector Machine
- C. Two-Class Decision Forest
- D. Two-Class Logistic Regression

Correct Answer: D

References: https://msdn.microsoft.com/en-us/library/azure/dn905994.aspx

QUESTION 3

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

https://www.lead4pass.com/70-773.html

2021 Latest lead4pass 70-773 PDF and VCE dumps Download

Information and details provided in a question apply only to that question.

You need to estimate a model where the outcome variable is continuous, is in the range of [0, inf], and has a substantial mass at an exact value of 0.

Which function should you use?

- A. rxPredict
- B. rxLogit
- C. summary
- D. rxLinMod
- E. rxTweedie
- F. stepAic
- G. rxTransform
- H. rxDataStep

Correct Answer: F

QUESTION 4

Note: This question is part of a series of questions that use the same scenario. For your convenience, the scenario is repeated in each question. Each question presents a different goal and answer choices, but the text of the scenario is

exactly the same in each question in this series.

Start of repeated scenario

You are developing a Microsoft R Open solution that will leverage the computing power of the database server for some of your datasets.

You are performing feature engineering and data preparation for the datasets.

The following is a sample of the dataset.

rxGetInfo(df) head(df) age incwage perwt state 48 1 50 9000 Indiana 2 41 35000 48 Indiana 3 55 40400 21 52 Indiana 1 56 30 Indiana 52 5 17200 Indiana 60 52 46 6 35000 21 52 Indiana 49



End of repeated scenario.

You plan to score some data to create data features to address empty rows.

You have the following R code.

```
xdPath <- file.path(rxGetOption("[sampleInData], "), "inputfile.xdf")
xdfLagged <- [sampleOutDataincludingFeatures] (fileext = ".xdf")
rxSort(inData = xdfPath,
                                    855,COM
       outFile = xdfLagged,
       sortByVars = "Date")
rxDataStep(inData = xdfLagged,
           outFile = xdfLagged,
           transformObjects = list
               varToLag = "Open"
               newName = "previousOpen"),
           transformFunc =
           append = "coks"
           overwrite TRUE)
rxDataStep(xdfLagged,
           varsToKeep = c("Date", "Open", "previousOpen"),
           numRows = 10)
```


You need to transform the data and overwrite the current dataset.

Which R code segment should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area




Correct Answer:

https://www.lead4pass.com/70-773.html

2021 Latest lead4pass 70-773 PDF and VCE dumps Download

Answer Area



QUESTION 5

Note: This question is part of a series of questions that use the same or similar answer choices. An answer choice may be correct for more than one question in the series. Each question is independent of the other questions in this series.

Information and details provided in a question apply only to that question.

You build a model that uses xyz regression.

You need to estimate a model that predicts a binary variable.

Which function should you use?

- A. rxPredict
- B. rxLogit
- C. summary
- D. rxLinMod
- E. rxTweedie
- F. stepAic
- G. rxTransform
- H. rxDataStep

Correct Answer: B

References: https://docs.microsoft.com/en-us/r-server/r/how-to-revoscaler-logistic- regression

70-773 VCE Dumps

70-773 Exam Questions

70-773 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.