

## 700-905<sup>Q&As</sup>

Cisco HyperFlex for Systems Engineers

### Pass Cisco 700-905 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/700-905.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When cabling a given HX node to the Fabric Interconnect which three actions are required? (Choose three.)

- A. Connect the node to different port numbers on each of the two Fabric Interconnects.
- B. Connect port 1 on the VIC to Fabric Interconnect A.
- C. Connect server port L1 to Fabric Interconnect port L1.
- D. Connect the node to the same port number on each of the two Fabric Interconnects.
- E. Connect server port L2 to Fabric Interconnect port L2
- F. Connect port 2 on the VIC to Interconnect B.

Correct Answer: BDF

---

**QUESTION 2**

What is the maximum size of an HXDP cluster running 3.5.1?

- A. 64 nodes
- B. 8 nodes
- C. 16 nodes
- D. 32 nodes

Correct Answer: A

---

**QUESTION 3**

How can the maximum 10 performance be achieved?

- A. Use the HX 220 with all flash drives
- B. Use the HX 240 with all flash drives
- C. Use the HX 220 with all SAS drives
- D. Use the HX 240 with all SAS drives

Correct Answer: B

---

## QUESTION 4

How many DIMMs are supported per memory channel in the Cisco UCS M5 server?

- A. 2
- B. 1
- C. 8
- D. 4

Correct Answer: A

---

## QUESTION 5

When local writing or reading is performed, the IOVisor intercepts the read/write requests and forwards them to CVMs across the cluster. This action allows non-local CVMs to be aware of the input/output requests so that they can perform the appropriate input/output action. IOVisor provides which two additional functionalities? (Choose two.)

- A. provides redundancy when local CVM fails, offloading data processing to another CVM in the cluster
- B. when an IOVisor fails, the CVM remains active and functional, which enables uninterrupted operation of the system by forwarding IO to another available IOVisor in the HyperFlex cluster
- C. enables asynchronous replication of data across individual HyperFlex nodes with sub-second re-convergence
- D. integration point for deployment of cloud-based SaaS offerings from eco-system partners
- E. intercepts local virtual machines' reads and writes and distributes them across the network eliminating hotspots

Correct Answer: AE

[Latest 700-905 Dumps](#)

[700-905 PDF Dumps](#)

[700-905 Study Guide](#)