

701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which elements exist on the highest level of the definition of every Kubernetes Objects? (Specify the name of one of the elements, without any values.)

A. apiVersion

Correct Answer: A

QUESTION 2

Which of the following values stems from the Agile Manifesto?

A. Processes and tools over individuals and interactions.

B. Contract negotiation over customer collaboration.

C. Comprehensive documentation over working software.

D. Predictability and long-term planning over flexibility and adaption.

E. Responding to change over following a plan.

Correct Answer: E

QUESTION 3

Which of the following functions are supported by the ansible copy module? (Choose THREE correct answers)

A. Append text or data to an existing file.

B. Decompress a file on the target system.

C. Set permissions of a file or directory on the target system.

D. Create a backup of the original target file.

E. Set the owner of a file or directory on the target system.

Correct Answer: BCE

QUESTION 4

A Dockerfile contains the statements:

COPY data/ /data/ VOLUME /data

What happens when the resulting container is started without any additional volume configuration? (Choose two correct answers.)

- A. Files existing in /data/ in the image are not available in the running container.
- B. Changes to files within /data/ affect the Docker image and all other containers derived from it.
- C. Existing files from /data/ in the image are copied to the new volume.
- D. An error is raised because /data/ already contains data when the volume is mounted.
- E. A new volume is created and mounted to /data/ within the new container.

Correct Answer: CE

QUESTION 5

What must be the first line of a plain text user-data configuration containing YAML configuration for cloud-init?

- A. cloud-config:
- B. --- cloud-config
- C. #!/usr/bin/cloud-init
- D. [cloud-config]
- E. #cloud-config

Correct Answer: E

<https://cloudinit.readthedocs.io/en/latest/topics/examples.html>

[Latest 701-100 Dumps](#)

[701-100 PDF Dumps](#)

[701-100 Practice Test](#)