

## 7141X<sup>Q&As</sup>

Avaya Equinox Solution with Avaya Aura Collaboration Applications  
Integration Exam

### Pass Avaya 7141X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/7141x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

The Avaya Equinox™ Streaming and Recording (AESR) consists of which three components? (Choose three.)

- A. Virtual Delivery Mode
- B. Delivery Mode
- C. Conference Point
- D. Load balancer
- E. Optimizer

Correct Answer: ABC

---

**QUESTION 2**

For an Avaya Equinox™ Management Geo-redundancy deployment, which three servers are required? (Choose three.)

- A. Backup Server
- B. Slave Server
- C. Master Server
- D. Active Server
- E. Standby Server

Correct Answer: ADE

---

**QUESTION 3**

How does Avaya Aura® Web Gateway (AAWG) learn that Avaya Aura® Device Services (AADS) it is associated with?

- A. AADS is dynamically discovered by AAWG using DNS and AADS Dynamic Discovery process
- B. AADS IP Address is statically configured in AAWG web GUI
- C. AAD is configured when the initial csa\*.bin script is run
- D. AADS FQDN and Port are statically configured in AAWG web GUI

Correct Answer: A

---

**QUESTION 4**

If an Avaya Equinox™ for Web client is used to access an Avaya Equinox™ Conferencing Virtual Meeting Room from the public Internet, which three statements are correct? (Choose three.)

- A. The media is anchored on an Avaya Equinox™ Conferencing Media Server via Session Border Controller for Enterprise (SBCE).
- B. The WebRTC media is anchored on the Avaya Aura Media Server (AAMS).
- C. A web browser is used to access the User Portal on the Avaya Aura® Web Gateway (AAWG) via the Session Border Controller for Enterprise (SBCE).
- D. SIP Signaling is sent from Avaya Aura® Web Gateway (AAWG) to the SIP B2BUA on Avaya Equinox™ Management Server.
- E. SIP Signaling is sent from Avaya Aura® Web Gateway (AAWG) to Communication Manager (CM).

Correct Answer: CDE

---

## QUESTION 5

Which configuration parameter is provided by Avaya Multimedia Messaging (AMM) to its Clients during registration in order to provide Multimedia Messaging Service?

- A. Routing Domain
- B. Messaging Domain
- C. IP Address
- D. Time Zone

Correct Answer: B

[Latest 7141X Dumps](#)

[7141X PDF Dumps](#)

[7141X Study Guide](#)